



Kzubr®

WSD Tools d.o.o
Balkanska 2, Beograd
PIB: 113120316
MB: 21806129



Kzubr®


POWER TOOLS

Katalog izdanje 2026



PERFORMANSE SU KLJUČ
SVAKOG ALATA

- / Akumulatorski program
- / Udarne bušilice
- / Magnetne bušilice
- / Ubodne testere
- / Čekić bušilice
- / Pikameri
- / Vibracione brusilice / Žirafa
- / Brusilice / Polirke
- / Gerovi za drvo
- / Gerovi za metal
- / Frezeri za drvo / Cirkulari
- / Aparati za zavarivanje / Oprema
- / Plazma sekači
- / Starteri / Punjači
- / Bašta / Dizalice
- / Kompresori
- / Mašine za krečenje / Dizne
- / Keramika
- / Laseri
- / Agregati
- / Motorne testere
- / Motorne-dizel pumpe
- / Navodnjavanje
- / Vibratori za beton / Tocila
- / Usisivači / Mašine za šivenje
- / Mašine za pranje auta / Pegle
- / Domaćinstvo
- / Pretakalice
- / Pneumatski udarni odvijači
- / Inkubatori



AKU BUŠILICA
ODVIJAČ

KBLED-16.8V-10
+ 2 baterije i punjač
BRUSHLESS MOTOR



Input	100-240V AC, 50/60Hz	Battery capacity	2*/1.5Ah lithium-ion
Output	DC16.8V/1.5A	Steel	10mm
Voltage	16.8V	Wood	30mm
No load speed	0-400/0-1400rpm	Pcs/Ctn	10pcs
Peak Torque	45N.m	NET/Gross weight	20.5/21.5kg
Chuck capacity	1-10mm(1-2")	Carton	53.5x34x48.5cm

AKU UDARNA
BUŠILICA-ODVIJAČ

KBLEID-21V-10
+ 2 baterije i punjač
BRUSHLESS MOTOR



Input	100-240V AC, 50/60Hz	Battery capacity	2*/2.0Ah lithium-ion
Output	DC21V/2.0A	Steel	10mm
Voltage	21V	Wood	30mm
No load speed	0-400/0-1400rpm	Pcs/Ctn	10pcs
Peak Torque	60N.m	NET/Gross weight	26.5/25.5kg
Chuck capacity	1-10mm	Carton	53.5x34x48.5cm

AKU UDARNI
ODVIJAČ 1/4
SA HEX PRIHVATOM

KBLEIS-21V-260
+ 2 baterije i punjač
BRUSHLESS MOTOR



Input	110-240V AC 50/60Hz	Battery capacity	2*/2.0Ah lithium-ion
Output	DC21V/2.0A	Bolt	M5-M16
No load speed	no.0-3000rpm	Pcs/Ctn	5pcs
Impact	3200ipm	NET/Gross weight	24/25kg
Torque	260N.m	Carton	58x37x31cm

AKU ČEKIČ
BUŠILICA

KBLERH-21V-22
+ 2 baterije i punjač
BRUSHLESS MOTOR



Input	110-240V AC, 50/60Hz	Concrete	22mm
Output	DC21V/2.0A	Wood	28mm
Batery capacity	2*/4.0Ah lithium-ion	Steel	13mm
No-load speed	0-1400/min	Pcs/Ctn	5pcs
Max Impact Rates	0-4500r/min	NET/Gross weight	22/23kg
Umpact Joules	2.0J	Carton	57x44.5x24.5cm

AKU UDARNA
BUŠILICA-ODVIJAČ

KBLEID-21V-13
+ 2 baterije i punjač
BRUSHLESS MOTOR



Input	100-240V a.c, 50/60Hz	Battery capacity	2*/2.0Ah lithium-ion
Output	DC21V/2.0A	Chuck tightening range	13MM
No load speed	0-430rpm(L)	Pcs/Ctn	8pcs
Impact Frequency	0-1760rpm(H)	NET/Gross weight	28/27kg
Max torque	50N.M	Carton	76x47.5x28.5cm

AKU UDARNI
ODVIJAČ

KBLEIW-21V-350T
+ 2 baterije i punjač
BRUSHLESS MOTOR
350NM



Input	110-240V AC, 50/60Hz	Battery capacity	2*/4.0Ah lithium-ion
Output	DC21V/2.0A	Battery charging time	60*/120 min
Charging time	60min	Pcs/Ctn	6pcs
Voltage	21V	NET/Gross weight	21/22kg
No load Voltage	0-3200 min-1	Carton	71x35x25cm

AKU UGAONA
BRUSILICA

KBLEAG-21V-125
+ 2 baterije i punjač
BRUSHLESS MOTOR



Input	110-240V AC, 50/60Hz	Disc diameter	125mm
Output	DC21V/2.0A	Spindle diameter	M14
Charging time	60min	Pcs/Ctn	5pcs
Voltage	21V	NET/Gross weight	19.5/20.5kg
No load Voltage	5500 - 9000 r/min	Carton	52x34x11cm
Battery capacity	2*/4.0Ah lithium-ion		

NOŽEVI ZA
AKU MAKAZE

25mm



Type	Dual-curved spare blades (S-blade)
Materia	Food-grade Stainless Steel
Center	Splined hub for motor attachment
Use	Electric food processor / Bowl cutter (for chopping and mincing)

AKU UDARNI
ODVIJAČ

KBLEIW-21V-1/2
+ 2 baterije i punjač
BRUSHLESS MOTOR
500NM



Input	110-240V AC, 50/60Hz	Battery capacity	2*/4.0Ah lithium-ion
Output	DC21V/2.0A	Battery charging time	60*/120 min
Charging time	60min	Pcs/Ctn	6pcs
Voltage	21V	NET/Gross weight	21/22kg
No load Voltage	0-3200 min	Carton	71x35x25cm

AKU UDARNI
ODVIJAČ

KBLEIW-21V-3/4
+ 2 baterije i punjač
BRUSHLESS MOTOR
1000NM



Input	110-240V AC, 50/60Hz	Battery capacity	2*/4.0Ah lithium-ion
Output	DC21V/2.0A	Battery charging time	60*/120 min
Charging time	60min	Pcs/Ctn	6pcs
Voltage	21V	NET/Gross weight	21/22kg
No load Voltage	0-3200 min	Carton	71x35x25cm

AKU SET
TIO

KCES-21V-3+1
+ 2 baterije i punjač



Input Voltage	110-240V	Charging time	120min
Frequency	50/60Hz	Usage time / a full charge	50min
Charging time	60min	Speed	3000RPM
Battery Voltage	21V	Blade length	6 inches (20 cm)
Battery capacity	2*/2 .0Ah (Amp Hours)	Cutting depth	up to 15 cm
Blade Size	Ø 15/25mm (diameter)	Chain speed	6m/s
Type:	Brushless Lithium Electric Shears	Telescope	

MAKAZE ZA
VOĆE

KBLES-21V-25

cena bez pdv-a
5.543 RSD

KBLES-21V-32

cena bez pdv-a
6.890 RSD

KBLES-21V-40

+ 2 baterije i punjač

BRUSHLESS MOTOR

cena bez pdv-a
8.620 RSD



Input Voltage	110-240V	Battery capacity	2*/2 .0Ah (Amp Hours)
Frequency	50/60Hz	Blade Size	Ø 15/25mm (diameter)
Charging time	60min	Type	Brushless Lithium Electric Shears
Battery Voltage	21V		

AKU
TESTERA

KBLECS-42V-16
+ 2 baterije i punjač

BRUSHLESS MOTOR



cena bez pdv-a
15.700 RSD

Input	100-240V AC 50/60Hz	Chain speed	14.5m/s
Output	DC21V/2.0A	Oil tank capacity	150ml
Battery capacity	2*/4.0Ah lithium-ion	Guide length	16 inches
Voltage	21V + 21V = 42V	Pcs/Ctn	3pcs
Input power	800W	NET/Gross weight	22/23.5kg
No load speed	7500r/min	Carton	80x54.5x26cm

AKU
TESTERA

KBLECS-21V-12
+ 2 baterije i punjač

BRUSHLESS MOTOR



cena bez pdv-a
5.458 RSD

Input	110-240V AC 50/60Hz	No load speed	8500r/min
Output	DC21V/2.0A	Bar Length	12"
Battery capacity	2*/4.0Ah lithium-ion	Pcs/Ctn	4pcs
Voltage	21V	NET/Gross weight	17.5/18.5kg
Input power	1200W	Carton	54x40x51cm

AKU
TESTERA

KBLECS-21V-8
+ 2 baterije i punjač



cena bez pdv-a
4.990 RSD

Voltage	110-240V AC 50/60Hz	Blade length	8"
Output	DC21V/ 2.0A	Pcs/Ctn	8pcs
Battery capacity	1x 2Ah + 1x 4Ah	Net/Gross weight	22.7/26kg
Voltage	21V	Carton	76x47.5x28.5cm
No load speed	8m/s		

AKU
ŠLAJFERICA

KLEOS-21V-125
+ 2 baterije i punjač



cena bez pdv-a
4.848 RSD

Input	110-240V AC 50/60Hz	Base plate size	125mm(5")
Output	DC21V/2.0A	Pcs/Ctn	12pcs
Battery capacity	2*/2.0Ah lithium-ion	NET/Gross weight	25/26.5kg
Voltage	21V	Carton	73x34x33.5cm
No load speed	7000-13000r/min		

AKU TESTERA
SA TELESKOPOM

KBLTPS-21V-12S
+ 2 baterije i punjač

BRUSHLESS MOTOR



cena bez pdv-a
7.560 RSD

Voltage	21V	Guide Bar Length	305mm/12"
Input power	720W	Pcs/Ctn	4pcs
Battery capacity	2*/4.0Ah lithium-ion	NET/Gross weight	23/24.5kg
Chain Speed	12m/s	Carton	73.5x34.5x53cm
Pole length	105cm		

AKU TESTERA -
LISIČARKA

KBLERS-21V-22
+ 1 baterija i punjač

BRUSHLESS MOTOR



cena bez pdv-a
6.979 RSD

Battery	21V Li-ion	Battery capacity	1*/2.0Ah lithium-ion
No load speed	2700r/min	Cutting capacity wood	255mm
Blade stroke	22mm	Pcs/Ctn	5pcs
Cutting capacity steel tube	130mm	NET/Gross weight	18.5/19kg
Cutting capacity round steel	25mm	Carton	52x42.5x25cm

AKU PEGLA ZA
VARENJE PLASTIČNIH
CEVI

KLEPPR-21V-32
+ 2 baterije i punjač



cena bez pdv-a
6.343 RSD

Input	110-240V AC 50/60Hz	No load speed	200-650r/min
Output	DC21V/2.0A	Drilling Capacity	350mm
Battery capacity	2*/4.0Ah lithium-ion	Pcs/Ctn	5pcs
Input power	400W	NET/Gross weight	19/21kg
Diameter	20/25/32mm	Carton	52x38x29.5cm

AKU UBODNA
TESTERA

KLEJS-21V-85
+ 2 baterije i punjač



cena bez pdv-a
5.192 RSD

Input	110-240V AC 50/60Hz	Cutting capacity round steel	6mm
Battery capacity	2*/2.0Ah lithium-ion	Cutting capacity wood	100mm
No load speed	800-3000r/min	Pcs/Ctn	5 pcs
Blade Stroke	22mm	NET/Gross weight	18.5/19kg
Cutting capacity steel tube	6mm	Carton	52x42.5x25cm

AKU VIBRACIONI PIŠTOLJ
ZA PLOČICE

KCTTM20V-130
+ 2 baterije i punjač



cena bez pdv-a
6.805 RSD

Input	110-240V AC 50/60Hz	Vibrating head	Silica gel
Output	DC20V/2.0A	Vibrating head size	130mm
Battery Charging Time	60min	Tile size	60-120cm
Voltage	20V	Pcs/Ctn	8pcs
Battery Capacity	2*/2.0Ah lithium-ion	NET/Gross weight	23/24kg
Vibration frequency	5000-18000r/min	Carton	64x42.5x52cm

AKU GASNI
PIŠTOLJ ZA
EKSERE

KGN-450
+ 2 baterije i punjač



cena bez pdv-a
10.320 RSD

Impact Energy	120 Joules	Fuel Cell	1000-1200 shots/cell
Nail Length	20mm - 30mm	Battery	4000-8000 shots/charge
Nail Diameter	6mm (Shank)	Pcs/Ctn	2pcs
Firing Speed	1-2 nails per second	NET/Gross weight	18/22kg
Power Source	Fuel Cell (Gas) + 7.2V/7.4V	Carton	65x40x20 cm

BATERIJA

KLB5C-21V-2.0

cena bez pdv-a
1.120 RSD

KLB5C-21V-4.0

cena bez pdv-a
1.790 RSD

KLB15C-21V-2.0

cena bez pdv-a
2.090 RSD

KLB15C-21V-4.0

cena bez pdv-a
2.940 RSD



Voltage:	21V Max	Tech:	Power Stack (High Performance)
Capacity:	2.0Ah (Lithium-ion)	Charging:	60-90 min (1.3A)
Battery	21V Li-ion	Pcs/Ctn	2pcs
Battery capacity	1*/2.0Ah lithium-ion	NET/Gross weight	1.2 kg
Battery capacity	1*/4.0Ah lithium-ion	Carton	25x18x10 cm

PUNJAČ ZA
BATERIJE



cena bez pdv-a
1.290 RSD

Battery	21V Li-ion	Charge time:	60-90 min (1.5-2.0Ah)
Input:	100-240V AC (50/60Hz)	Pcs/Ctn	40pcs
Output:	DC 21V / 1.3A	NET/Gross weight	8/8.5kg
Battery Type:	Lithium-ion (Li-ion)	Carton	60x40x23cm

AKU
POLIRKA

KLEP-21V-250
+ 2 baterije i punjač



cena bez pdv-a
4.440 RSD

Input	100-240V AC 50/60Hz	Base plate size	250mm(10")
Output	DC21V/2.0A	Pcs/Ctn	10pcs
Battery capacity	2*/2.0Ah lithium-ion	NET/Gross weight	17.5/18.5kg
Voltage	21V	Carton	71x29x46cm
No load speed	3000r/min		

AKU
MAZALICA

KLGG-21V-600
+ 2 baterije i punjač



cena bez pdv-a
7.700 RSD

Input	110-240V AC 50/60Hz	Capacity:	600g (bulk) / 550g (cartridge)
Output	DC21V/2.0A	Hose Length:	30 cm
Battery capacity	2*/4.0Ah lithium-ion	Pcs/Ctn	4pcs
Voltage	21V	NET/Gross weight	22.5/23.5kg
Working Pressure:	0-85 / 255 psi	Carton	60x42x25cm

SET AKU ALATA
4u1

KBLHWDG-21V-4IN-1S+
+ 4 baterije i punjač

BRUSHLESS MOTOR



Cordless Screwdriver	Battery	3x 4Ah + 1x 2Ah
Cordless Impact Driver	Pcs/Ctn	5pcs
Cordless Sander	NET/Gross weight	18.5/19kg
Cordless Drill	Carton	52x42.5x25cm
1x Quick Charger		



cena bez pdv-a
22.820 RSD

AKU SET SA 8 ZAMENSKIH
GLAVA

KBMFCPT-21V-15+1TIO

BRUSHLESS MOTOR



1x Nastavak
Udarni odvijač

1x Nastavak
za bušilicu

1x Nastavak
za testeru

1x Nastavak
za lišćarku

1x Nastavak
za pranje

1x Nastavak
za HEX udarni
odvijač

1x Nastavak
za bušilicu

1x Nastavak
za brusilicu

cena bez pdv-a

16.690 RSD



UDARNA
BUŠILICA
KID-650



cena bez pdv-a
2.258 RSD



Rated Voltage	220-230V	Steel	13mm
Frequency	50/60Hz	Concrete	13mm
Input Power	650W	Wood	25mm
Impacts per minute	0-44800min-1	Pcs/Ctn	10pcs
No load speed	0-2800r/min	NET/Gross weight	23/24kg
Stroke Distance	13mm	Carton	59.5x40x27.5cm

UDARNA
BUŠILICA
KID-710



cena bez pdv-a
2.361 RSD




Rated Voltage	220-230V	Steel	13mm
Frequency	50/60Hz	Concrete	13mm
Input Power	710W	Wood	30mm
Impacts per minute	0-44800min-1	Pcs/Ctn	10pcs
No load speed	0-2800r/min	NET/Gross weight	21/22kg
Stroke Distance	13mm	Carton	58.5x38.5x26cm

STONA - MAGNETNA
BUŠILICA
KMD-JD-28



cena bez pdv-a
21.248 RSD




Rated Voltage	220-230V	Suction	13000N
Frequency	50/60Hz	Max hole diameter	28mm
Input Power	1350W	Pcs/Ctn	10pcs
No load speed	350r/min		
Stroke capacity	210mm		

STONA - MAGNETNA
BUŠILICA
KMD-JD-36



cena bez pdv-a
22.696 RSD



Rated Voltage	220-230V	Suction	13000N
Frequency	50/60Hz	Max hole diameter	36mm
Input Power	1480W	Pcs/Ctn	10pcs
No load speed	550r/min		
Stroke capacity	210mm		

UDARNA
BUŠILICA
KID-800



cena bez pdv-a
2.566 RSD



Rated Voltage	220-230V	Steel	13mm
Frequency	50/60Hz	Concrete	13mm
Input Power	800W	Wood	30mm
Impacts per minute	0-44800min-1	Pcs/Ctn	10pcs
No load speed	0-2800r/min	NET/Gross weight	23/24kg
Stroke Distance	13mm	Carton	60x38.5x27.5cm

BUŠILICA
KED-600



cena bez pdv-a
2.155 RSD



Rated Voltage	220-230V	Steel	13mm
Frequency	50/60Hz	Wood	50mm
Input Power	600W	Pcs/Ctn	10pcs
No load speed	0-3100r/min	NET/Gross weight	19.5/20.5kg
Drill Capacity	13mm	Carton	59x42x25cm

MAGNETNA
BUŠILICA
KMD-JD-40E



cena bez pdv-a
22.100 RSD




Rated Voltage	220-230V	Suction	11000N
Frequency	50/60Hz	Max hole diameter	40mm
Input Power	1100W	Pcs/Ctn	10pcs
No load speed	500r/min		
Stroke capacity	210mm		

MAGNETNA
BUŠILICA
KMDM-D8850RE



cena bez pdv-a
26.240 RSD



Rated Voltage	220-230V	Suction	13000N
Frequency	50/60Hz	Max hole diameter	50mm
Input Power	1500W	Pcs/Ctn	10pcs
No load speed	0-650r/min		
Stroke capacity	210mm		



UBODNA
TESTERA
KJS-400



cena bez pdv-a
2.155 RSD



Rated Voltage	220-230V	Max in Aluminium	10mm
Frequency	50/60Hz	Max in wood	55mm
Input Power	400W	Pcs/Ctn	10pcs
No load speed	3000r/min	NET/Gross weight	18/19kg
Stroke capacity	18mm	Carton	54.5x39x22cm
Max in steel	6mm		

UBODNA
TESTERA
KJS-600



cena bez pdv-a
3.182 RSD



Rated Voltage	220-230V	Max in Aluminium	10mm
Frequency	50/60Hz	Max in wood	80mm
Input Power	600W	Pcs/Ctn	10pcs
No load speed	0-3100r/min	NET/Gross weight	22/23kg
Stroke capacity	20mm	Carton	55.5x41.5x23.5cm
Max in steel	8mm		

UBODNA
TESTERA
KJS-710



cena bez pdv-a
3.798 RSD



Rated Voltage	220-230V	Max in Aluminium	20mm
Frequency	50/60Hz	Max in wood	105mm
Input Power	710W	Pcs/Ctn	10pcs
No load speed	1500-3100r/min	NET/Gross weight	24/25kg
Stroke capacity	23mm	Carton	58x44x23cm
Max in steel	10mm		

ČEKIĆ
BUŠILICA

KRH20-600

cena bez pdv-a
4.106 RSD

Rated Voltage	220-230V		
Frequency	50/60Hz	Wood	30mm
Input Power	600W	Steel	13mm
No load speed	0-2000/min	Pcs/Ctn	5pcs
Impact rate	0-6300r/min	NET/Gross weight	20/21kg
Concrete	20mm	Carton	59x38x29.5cm

ČEKIĆ
BUŠILICA

KRH24-620

cena bez pdv-a
4.311 RSD

Rated Voltage	220-230V		
Frequency	50/60Hz	Wood	30mm
Input Power	620W	Steel	13mm
No load speed	0-1000/min	Pcs/Ctn	3pcs
Impact rate	0-4850r/min	NET/Gross weight	14/14.6kg
Concrete	24mm	Carton	45.5x35x29.5cm

ČEKIĆ
BUŠILICA

KRH28-1050

cena bez pdv-a
6.671 RSD

Rated Voltage	220-230V	Concrete	28mm
Frequency	50/60Hz	Wood	42mm
Rated Input Power	1050W	Steel	13mm
No Load Rates	0-1100r/min	Pcs/Ctn	4pcs
Max Impact Rates	4600bpm	NET/Gross weight	23/24kg
Impact Joules	4.0J	Carton	51.2x41.5x31.5cm

ČEKIĆ
BUŠILICA


KRH32-1500

cena bez pdv-a
7.185 RSD

Rated Voltage	220-230V	Concrete	32mm
Frequency	50/60Hz	Wood	42mm
Rated Input power	1500W	Steel	13mm
No Load Rates	860r/min	Pcs/Ctn	2pcs
Max Impact Rates	4250bpm	NET/Gross weight	15/16kg
Impact Joules	5.5J	Carton	44x28x35.5cm

ČEKIĆ
BUŠILICA

KRH26-800

cena bez pdv-a
4.721 RSD

Rated Voltage	220-230V		
Frequency	50/60Hz	Wood	30mm
Input Power	800W	Steel	13mm
No load speed	0-1300/min	Pcs/Ctn	3pcs
Impact rate	0-5300r/min	NET/Gross weight	14/15.5kg
Concrete	26mm	Carton	45.5x35x29.5cm

ČEKIĆ
BUŠILICA

KRH28-800QCC

cena bez pdv-a
6.158 RSD

Rated Voltage	220-230V		
Frequency	50/60Hz	Wood	30mm
Input Power	800W	Steel	13mm
No load speed	0-1250/min	Pcs/Ctn	3pcs
Impact rate	0-5000r/min	NET/Gross weight	15.5/16.5kg
Concrete	28mm	Carton	45.5x35x29.5cm

ČEKIĆ
BUŠILICA

KRH40-1600

cena bez pdv-a
10.264 RSD

Rated Voltage	220-230V	Concrete	40mm
Frequency	50/60Hz	Wood	42mm
Input power	1600W	Steel	13mm
No Load Rates	630r/min	Pcs/Ctn	2pcs
Max Impact Rates	3800bpm	NET/Gross weight	22/23kg
Impact Joules	9.0J	Carton	51.5x29x41.5cm

PRSTENASTA
TESTERAKBRS-600S⁺cena bez pdv-a
38.190 RSD

Rated Voltage	220-230V	Blade Size	410 mm
Frequency	50/60Hz	Pcs/Ctn	1pcs
Input power	6000W	NET/Gross weight	14.3/19.8kg
No load speed	2300r/min	Carton	100.5x57x33cm
Compatible Blade Sizes	300/400/500mm		

ČEKIĆ
BUŠILICA

KRH26-850

cena bez pdv-a
4.824 RSD

Rated Voltage	220-230V	Concrete	26mm
Frequency	50/60Hz	Wood	42mm
Rated Input Power	850W	Steel	13mm
No Load Rates	950/min	Pcs/Ctn	3pcs
Max Impact Rates	4250r/min	NET/Gross weight	21/22kg
Impact Joules	4.5J	Carton	43x37x35.5cm

ČEKIĆ
BUŠILICA

KRH28-850

cena bez pdv-a
5.440 RSD

Rated Voltage	220-230V	Concrete	28mm
Frequency	50/60Hz	Wood	42mm
Rated Input Power	850W	Steel	13mm
No Load Rates	950/min	Pcs/Ctn	3pcs
Max Impact Rates	4250bpm	NET/Gross weight	21/22kg
Impact Joules	4.5J	Carton	43x37.5x36cm

MAŠINA ZA BUŠENJE
BETONA

KDCD-255

cena bez pdv-a
21.046 RSD

Rated Voltage	220-230V	Drilling Diameter	255mm
Frequency	50/60Hz	Pcs/Ctn	1pcs
Rated Input power	3000W	NET/Gross weight	
No Load Rates	1100r/min	Carton	

DIJAMANTSKE
KRUNE

FI 51

cena bez pdv-a
1.580 RSD

FI 66

cena bez pdv-a
2.051 RSD

FI 83

cena bez pdv-a
2.540 RSD

FI 102

cena bez pdv-a
2.940 RSD

FI 120

cena bez pdv-a
3.520 RSD

FI 132

cena bez pdv-a
3.908 RSD

FI 152

cena bez pdv-a
4.400 RSD

Crown diameter	51mm	Crown diameter	132mm
Crown diameter	66mm	Crown diameter	152mm
Crown diameter	83mm	Working body length	450mm
Crown diameter	102mm	Machine holder	UNC 1/4
Crown diameter	120mm	Pcs/Ctn	1pcs

ČEKIĆ ZA
RUŠENJE

KDH30-900

cena bez pdv-a
5.645 RSD

Rated Voltage	220-230V		
Frequency	50/60Hz	Concrete	30mm
Rated Input Power	900W	Pcs/Ctn	3pcs
Max Impact Rates	2900bpm	NET/Gross weight	27/26kg
Impact Joules	7.2J	Carton	51.2x36.5x33cm

ČEKIĆ ZA
RUŠENJE

KDH35-1300

cena bez pdv-a
7.698 RSD

Rated Voltage	220-230V		
Frequency	50/60Hz	Concrete	45mm
Rated Input Power	1300W	Pcs/Ctn	2pcs
Max Impact Rates	2900bpm	NET/Gross weight	18/19kg
Impact Joules	15J	Carton	52x27x34.5cm

VIBRACIONA
BRUSILICA

KFS-240

cena bez pdv-a
2.053 RSD

Rated Voltage	220-230V	Base plate size	110x100mm
Frequency	50/60Hz	Pcs/Ctn	16pcs
Input Power	240W	NET/Gross weight	23/24kg
No load speed	14500r/min	Carton	52x37.5x31.5cm

VIBRACIONA
BRUSILICA

KFS-320

cena bez pdv-a
2.566 RSD

Rated Voltage	220-230V	Base plate size	90x180mm
Frequency	50/60Hz	Pcs/Ctn	12pcs
Input Power	320W	NET/Gross weight	24/25kg
No load speed	14000r/min	Carton	65.5x33.5x35cm

ČEKIĆ ZA
RUŠENJE

KDH65-1650

cena bez pdv-a
11.853 RSD

Rated Voltage	220-230V		
Frequency	50/60Hz	Concrete	65mm
Rated Input Power	1650W	Pcs/Ctn	1pcs
Max Impact Rates	1900bpm	NET/Gross weight	21/14kg
Impact Joules	45J	Carton	71x17x30cm

ČEKIĆ ZA
RUŠENJE

KDH85-1700

cena bez pdv-a
12.563 RSD

Rated Voltage	220-230V		
Frequency	50/60Hz	Concrete	85mm
Rated Input Power	1700W	Pcs/Ctn	1pcs
Max Impact Rates	1700bpm	NET/Gross weight	20/21kg
Impact Joules	52J	Carton	71x16.5x30cm

VIBRACIONA
BRUSILICA

KFS-330

cena bez pdv-a
4.208 RSD

Rated Voltage	220-230V	Base plate size	110x229mm
Frequency	50/60Hz	Pcs/Ctn	5pcs
Input Power	330W	NET/Gross weight	16/17kg
No load speed	14500r/min	Carton	63.5x34.5x22.5cm

TRAČNA
ŠLAJFERICA

KBS76-1010

cena bez pdv-a
5.065 RSD

Rated Voltage	220-230V	Base plate size	76x533mm
Frequency	50/60Hz	Pcs/Ctn	6pcs
Input Power	1010W	NET/Gross weight	21/22.2kg
No load speed	120-380m/min	Carton	51.5x39x36cm

ČEKIĆ ZA
RUŠENJE

KDH110-2000

cena bez pdv-a
15.174 RSD

Rated Voltage	220-230V		
Frequency	50/60Hz	Concrete	110mm
Rated Input Power	2000W	Pcs/Ctn	1pcs
Max Impact Rates	1700bpm	NET/Gross weight	22/23kg
Impact Joules	60J	Carton	71x16.5x30.5cm

ŠPIC I ŠTEMAJZ
ZA PIKAMERE

30x400mm

ŠPIC

cena bez pdv-a
980 RSD

ŠTEMAJZ

cena bez pdv-a
980 RSD

Model	Point Chisel	Model	Flat Chisel
Size	30x400mm	Size	30x400mm
Pcs/Ctn	20pcs	Pcs/Ctn	20pcs
NET/Gross weight	29/30kg	NET/Gross weight	29/30kg
Carton	43.5x19x15.5cm	Carton	43.5x19x15.5cm

ORBITALNA
BRUSILICA

KOS125-350

cena bez pdv-a
3.018 RSD

Rated Voltage	220-230V	Base plate size	125mm/5
Frequency	50/60Hz	Pcs/Ctn	12pcs
Input Power	350W	NET/Gross weight	20/21kg
No load speed	0-12000r/min	Carton	42.5x38x35cm

ŽIRAFI ZA
ZIDOVE

KDS-750

cena bez pdv-a
9.915 RSD

Rated Voltage	220-230V	Disc Diameter	230mm
Frequency	50/60Hz	Pcs/Ctn	1pcs
Input Power	750W	NET/Gross weight	6.7/5.0kg
No load speed	1000-21000r/min	Carton	126x28.2x25cm

UGAONA
BRUSILICA

KAG125D-850S



cena bez pdv-a

2.463 RSD

Rated Voltage	220-230V	Spindle Diameter	M10/M14 M14
Frequency	50/60Hz	Pcs/Ctn	10pcs
Input Power	850W	NET/Gross weight	21/22kg
No load speed	0-11000r/min	Disc Diameter	100/115/125mm
Disc Diameter	100/115/125mm	Carton	57x32.5x25cm

UGAONA
BRUSILICA

KAG125C-900S



cena bez pdv-a

2.513 RSD

Rated Voltage	220-230V	Spindle Diameter	M14
Frequency	50/60Hz	Pcs/Ctn	10pcs
Input Power	900W	NET/Gross weight	22/23kg
No load speed	0-11000r/min	Disc Diameter	125mm
Disc Diameter	125mm	Carton	46.5x39x25.5cm

UGAONA
BRUSILICA

KAG230T-2000



cena bez pdv-a

5.235 RSD

Rated Voltage	220-230V	Spindle Diameter	M14
Frequency	50/60Hz	Pcs/Ctn	4pcs
Input Power	2000W	NET/Gross weight	21/22kg
No load speed	6500r/min	Disc Diameter	230mm
Disc Diameter	230mm	Carton	52x27.5x33cm

UGAONA
BRUSILICA

KAG230A-2350



cena bez pdv-a

5.542 RSD

Rated Voltage	220-230V	Spindle Diameter	M14
Frequency	50/60Hz	Pcs/Ctn	4pcs
Input Power	2350W	NET/Gross weight	24/25kg
No load speed	6500r/min	Disc Diameter	230mm
Disc Diameter	230mm	Carton	54x26.5x34cm

UGAONA
BRUSILICA

KAG230-2500



cena bez pdv-a

6.364 RSD

Rated Voltage	220-230V	Spindle Diameter	M14
Frequency	50/60Hz	Pcs/Ctn	4pcs
Input Power	2500W	NET/Gross weight	25.5/26.5kg
No load speed	6000r/min	Disc Diameter	230mm
Disc Diameter	230mm	Carton	56.5x27.5x33cm

EKSCENTRIČNA POLIR
MAŠINA

KDAP150/21-700



cena bez pdv-a

8.006 RSD

Rated Voltage	220-230V	Disk Diameter	150mm
Frequency	50/60Hz	Pcs/Ctn	6pcs
Input Power	700W	NET/Gross weight	20/21kg
No load speed	1000-3800/min	Eccentricity	21mm
Eccentricity	21mm	Carton	51x49x30cm

UGAONA
POLIRKA

KPLS180-1200



cena bez pdv-a

4.311 RSD

Rated Voltage	220-230V	Disk Diameter	180mm
Frequency	50/60Hz	Pcs/Ctn	6pcs
Input Power	1200W	NET/Gross weight	17/18kg
No load speed	600-3000/min	Carton	47x46x28cm

UGAONA
POLIRKA

KPLS180-1300



cena bez pdv-a

4.619 RSD

Rated Voltage	220-230V	Disk Diameter	180mm
Frequency	50/60Hz	Pcs/Ctn	6pcs
Input Power	1300W	NET/Gross weight	22/24kg
No load speed	1500-3000/min	Carton	56x53x24cm

ČEONA
BRUSILICA

KDG135-211



cena bez pdv-a

2.444 RSD

Rated Voltage	220-230V	Chuck Diameter	3.2mm
Frequency	50/60Hz	Pcs/Ctn	10pcs
Input Power	135W	NET/Gross weight	17.2/18.5kg
No load speed	10000-32000/min	Carton	71x35.5x30.5cm

ČEONA
BRUSILICA

KDG135-163



cena bez pdv-a

2.444 RSD

Rated Voltage	220-230V	Chuck Diameter	3.2mm
Frequency	50/60Hz	Pcs/Ctn	5pcs
Input Power	135W	NET/Gross weight	10/12kg
No load speed	10000-32000/min	Carton	43.5x40.5x40cm

ČEONA
BRUSILICA

KDG-260



cena bez pdv-a

2.490 RSD

Rated Voltage	220-230V	Chuck Diameter	0.8-6mm
Frequency	50/60Hz	Pcs/Ctn	20pcs
Input Power	260W	NET/Gross weight	20/21kg
No load speed	0-29000r/min	Carton	47x30x34.5cm

ČEONA
BRUSILICA

KDG-600



cena bez pdv-a

3.410 RSD

Rated Voltage	220-230V	Chuck Diameter	6mm
Frequency	50/60Hz	Pcs/Ctn	10pcs
Input Power	600W	NET/Gross weight	20/21kg
No load speed	33000/min	Carton	52x43x22cm

GER MAŠINA
ZA DRVO
KMS255-1800



cena bez pdv-a
8.929 RSD

Rated Voltage	220-230V		
Frequency	50/60Hz	Hole diameter of blade	25.4mm
Input Power	1800W	Pcs/Ctn	1pcs
No load speed	6000r/min	NET/Gross weight	10/9kg
Blade Diameter	255mm	Carton	52.5x39.5x40.5cm

GER MAŠINA
ZA DRVO
KMS255-2200



cena bez pdv-a
17.888 RSD

Rated Voltage	220-230V		
Frequency	50/60Hz	0°/90°	70x305mm
Input Power	2200W	45°/90°/45°/45°	43x305mm/43x200mm
No load speed	5000r/min	Pcs/Ctn	1pcs
Blade Diameter	255mm	NET/Gross weight	10/9kg
Hole diameter of blade	25.4mm	Carton	52.5x39.5x40.5cm

FREZER ZA
DRVO
KER-710



cena bez pdv-a
2.463 RSD

Rated Voltage	220-230V	Chuck Diameter	6mm
Frequency	50/60Hz	Pcs/Ctn	10pcs
Input Power	710W	NET/Gross weight	25/26kg
No load speed	35000r/min	Carton	53x34x27cm

FREZER ZA
DRVO
KER-1200



cena bez pdv-a
4.824 RSD

Rated Voltage	220-230V	Chuck Diameter	6-8mm
Frequency	50/60Hz	Pcs/Ctn	4pcs
Input Power	1200W	NET/Gross weight	20/21kg
No load speed	3000-29000r/min	Carton	63x35x28cm

GER MAŠINA
ZA METAL
KCOM14-1600



cena bez pdv-a
7.189 RSD

Rated Voltage	220-230V		
Frequency	50/60Hz	Hole diameter of blade	25.4mm
Input Power	1600W	Pcs/Ctn	1pcs
No load speed	3800r/min	NET/Gross weight	11/12kg
Blade Diameter	355mm	Carton	53x29x39cm

GER MAŠINA
ZA METAL
KCOM14-2000



cena bez pdv-a
8.034RSD

Rated Voltage	220-230V		
Frequency	50/60Hz	Hole diameter of blade	25.4mm
Input Power	2000W	Pcs/Ctn	1pcs
No load speed	3800r/min	NET/Gross weight	12.5/13.5kg
Blade Diameter	355mm	Carton	53x29x39cm

FREZER ZA
DRVO
KER-2100



cena bez pdv-a
9.237 RSD

Rated Voltage	220-230V	No load speed	9000-22000r/min
Frequency	50/60Hz	Pcs/Ctn	3pcs
Input Power	2100W	NET/Gross weight	21/23kg
Chuck Diameter	8mm/12mm	Carton	65x34x33cm

CIRKULAR
ZA KERAMIKU
KMC-1480



cena bez pdv-a
3.540 RSD

Rated Voltage	220-230V	Max Cutting Capacity	32mm
Frequency	50/60Hz	Hole diameter of blade	20mm
Input Power	1480W	Pcs/Ctn	6pcs
No load speed	13000r/min	NET/Gross weight	21/22kg
Blade Diameter	125mm	Carton	71x24x38.5cm

GER MAŠINA
ZA METAL
KCOM14-2200



cena bez pdv-a
8.457 RSD

Rated Voltage	220-230V		
Frequency	50/60Hz	Hole diameter of blade	25.4mm
Input Power	2200W	Pcs/Ctn	1pcs
No load speed	3800r/min	NET/Gross weight	13/14kg
Blade Diameter	355mm	Carton	53x29x39cm

GLODALA ZA
FREZER 12/1
6MM

cena bez pdv-a
1.165 RSD

cena bez pdv-a
1.165 RSD



Router Bit set	6MM	Pcs/Ctn	1pcs
Router Bit set	8MM	NET/Gross weight	13/14kg
		Carton	53x29x39cm

KRUŽNA TESTERA
- CIRKULAR
KCS7-1500



cena bez pdv-a
4.311 RSD

Rated Voltage	220-230V	Hole diameter of blade	20mm
Frequency	50/60Hz	Max Cutting Capacity	40/65mm
Input Power	1500W	Pcs/Ctn	3pcs
No load speed	5500r/min	NET/Gross weight	21/23kg
Blade Diameter	185mm	Carton	65x34x33cm

KRUŽNA TESTERA
- CIRKULAR
KCS9-2100



cena bez pdv-a
5.645 RSD

Rated Voltage	220-230V	Hole diameter of blade	25.4mm
Frequency	50/60Hz	Max Cutting Capacity	52/85mm
Input Power	2100W	Pcs/Ctn	2pcs
No load speed	4300r/min	NET/Gross weight	16/17kg
Blade Diameter	235mm	Carton	54x40x23cm

APARAT ZA ZAVARIVANJE MINI-300P



Rated Voltage	220-230V	No load Voltage	60V
Frequency	50/60Hz	Pcs/Ctn	5pcs
Input Power Capacity	3.5KVA	NET/Gross weight	23/25kg
Output Current Range	20-120A	Applied Welding Rod	1.6-2.5MM
Applied Welding Rod	1.6-2.5MM	Carton	64.5x33.5x36.5cm

cena bez pdv-a
6.158 RSD

APARAT ZA ZAVARIVANJE MMA-300N



Rated Voltage(NT)	100~110V/220-230V	No load Voltage	67V
Frequency	50/60Hz	Pcs/Ctn	3pcs
Input Power Capacity	4.5/7.0KVA	NET/Gross weight	15/18.5kg
Output Current Range	20-130/20-160A	Applied Welding Rod	1.6-5.0MM
Applied Welding Rod	1.6-5.0MM	Carton	63.5x38.5x31cm

cena bez pdv-a
8.006 RSD

APARAT ZA ZAVARIVANJE MIG/MMA-400

	MIG	MMA
Input Voltage	1PH/220V±15%	
Frequency	50/60Hz	
Input Capacity	5.6KVA	5.7KVA
Efficiency	85%	
Current	20-200A	20-180A
Duty Cycle(40C)	30%	60%
No load Voltage	55V	
Insulation Class	F	
Protection Degree	IP21S	
Welding Wire	0.8-1.0mm	/
Usable Electrode	/	0.6-4.0mm
Pcs/Ctn	1pcs	
NET/Gross weight	13.8/14.8kg	
Carton	56.5x32x41cm	



cena bez pdv-a
18.885 RSD

APARAT ZA ZAVARIVANJE MIG/MMA-500N

	MIG	MMA
Input Voltage	1PH/220V±15%	
Frequency	50/60Hz	
Input Capacity	6.2KVA	8KVA
Efficiency	85%	
Current	40-160A	20-140A
Duty Cycle(40C)	60%	
No load Voltage	50V	
Insulation Class	F	
Protection Degree	IP21S	
Usable Electrode	0.6-0.8mm	1.6-3.2mm
MAX Cutting	0.8-1mm	1.6-3.2mm
Thickness		
Pcs/Ctn	1pcs	
Carton	50x31.5x41.5cm	



cena bez pdv-a
19.501 RSD

APARAT ZA ZAVARIVANJE MMA-350N



Rated Voltage	220-230V	No load Voltage	67V
Frequency	50/60Hz	Pcs/Ctn	3pcs
Input Power Capacity	8.4KVA	NET/Gross weight	18/22kg
Output Current Range	20-180A	Applied Welding Rod	1.6-5.0MM
Applied Welding Rod	1.6-5.0MM	Carton	66.5x54.5x37cm

cena bez pdv-a
8.929 RSD

APARAT ZA ZAVARIVANJE MMA-400N



Rated Voltage	220-230V	No load Voltage	67V
Frequency	50/60Hz	Pcs/Ctn	3pcs
Input Power Capacity	10.5KVA	NET/Gross weight	19/23kg
Output Current Range	20-200A	Applied Welding Rod	1.6-5.0MM
Applied Welding Rod	1.6-5.0MM	Carton	71x46.5x34cm

cena bez pdv-a
9.751 RSD

APARAT ZA ZAVARIVANJE MIG/MMA-700N

	MIG	MMA
Input Voltage	1PH/220V±15%	
Frequency	50/60Hz	
Input Capacity	6.2KVA	8KVA
Efficiency	85%	
Current	40-160A	20-140A
Duty Cycle(40C)	60%	
No load Voltage	50V	
Insulation Class	F	
Protection Degree	IP21S	
Usable Electrode	0.6-0.8mm	1.6-3.2mm
MAX Cutting	0.8-1mm	1.6-3.2mm
Thickness		
Pcs/Ctn	1pcs	
Carton	50x31.5x41.5cm	



cena bez pdv-a
19.501 RSD

APARAT ZA ZAVARIVANJE MIG-MAG-TIG-MMA-800

Standard	IEC 60974-1
Current Range	30A/15.5V - 160A/22V
Duty Cycle (X)	60% - 100%
Max Welding	28.1A
Current (I _{max})	
Effective Welding	21.7A
Current (I _{eff})	
Open Circuit Voltage (U _o)	55V
Output Voltage (U ₂)	22V / 20.2V
Input Voltage (U ₂)	220V
Ingress Protection	IP21S



cena bez pdv-a
19.535 RSD

APARAT ZA ZAVARIVANJE TIG/MMA-400N



Rated Voltage	220-230V	Applied Welding Rod	1.6-4.0MM
Frequency	50/60Hz	No load Voltage	57V
Input Power Capacity	6.2KVA	Pcs/Ctn	2pcs
Output Current Range	MMA:20-140A	NET/Gross weight	18.8/21.5kg
Applied Welding Rod	TIG:10-160A	Carton	54.5x49x37cm

cena bez pdv-a
15.601 RSD

APARAT ZA ZAVARIVANJE TIG/MMA-500N



Rated Voltage	220-230V	Applied Welding Rod	1.6-5.0MM
Frequency	50/60Hz	No load Voltage	57V
Input Power Capacity	7.4KVA	Pcs/Ctn	2pcs
Output Current Range	MMA:20-160A	NET/Gross weight	19.5/22.5kg
Applied Welding Rod	TIG:10-180A	Carton	54.5x49x37cm

cena bez pdv-a
17.859 RSD

APARAT ZA ZAVARIVANJE MIG-MAG-TIG-MMA-900

Standard	IEC 60974-1
Current Range	30A/15.5V - 160A/22V
Duty Cycle (X)	60% - 100%
Max Welding	28.1A
Current (I _{max})	
Effective Welding	21.7A
Current (I _{eff})	
Open Circuit Voltage (U _o)	55V
Output Voltage (U ₂)	22V / 20.2V
Input Voltage (U ₂)	220V
Ingress Protection	IP21S



cena bez pdv-a
20.480 RSD

APARAT ZA ZAVARIVANJE MIG-MMA-LIFT-TIG-450N



Rated Voltage	220-230V	Applied Welding Rod	
Frequency	50/60Hz	0.8/1.0mm(MIG) 1.6/3.2mm(MMA)	
Input Power Capacity	9.0KVA	No load Voltage	52V
Output Current Range		Pcs/Ctn	3pcs
	30A/15.5V-120A/20V(MIG)	NET/Gross weight	20/23kg
	30A/21.2V-120A/24.8V(MMA)	Carton	79x38.5x33.5cm

cena bez pdv-a
8.270 RSD

PLAZMA
SEKAČ
CUT-40



AC

DC

CC

cena bez pdv-a

18.988 RSD

Rated Voltage	220-230V	No load Voltage	221V
Frequency	50/60Hz	Pcs/Ctn	2pcs
Input Power Capacity	7.3KVA	NET/Gross weight	18.5/21kg
Output Current Range	20-40A	Carton	54.5x49x34.5cm
MAX Cutting Thickness	10MM		

PLAZMA
SEKAČ
CUT-60



AC

DC

CC

cena bez pdv-a

32.844 RSD

Rated Voltage	220-230V	No load Voltage	275V
Frequency	50/60Hz	Pcs/Ctn	1pcs
Input Power Capacity	8KVA	NET/Gross weight	15.9/17kg
Output Current Range	20-60A	Carton	60.5x33.5x44.5cm
MAX Cutting Thickness	20MM		

PUNJENA ŽICA
ZA VARENJE
KCWFCS-0.8/5.0KG




cena bez pdv-a

2.880 RSD

Diameter	0.8mm	Compatible with	MIG/MAG devices
Reel weight	5kg	Excellent resistance to corrosion	
Gas-filled wire	CO2	Resistance to high temperatures	

ŽICA ZA
VARENJE
KGSSWW-0.8/5.0KG



cena bez pdv-a

1.063 RSD

Diameter	0.8mm	Compatible with	MIG/MAG devices
Reel weight	5kg	Excellent resistance to corrosion	
Wire type	Regular	Resistance to high temperatures	

PLAZMA
SEKAČ
CUT-100



AC

DC

CC

cena bez pdv-a

59.530 RSD

Rated Voltage	380V	No load Voltage	310V
Frequency	50/60Hz	Pcs/Ctn	1pcs
Input Power Capacity	8.7KVA	NET/Gross weight	31.8/32.9kg
Output Current Range	20-100A	Carton	68x38.5x60.5cm
MAX Cutting Thickness	30MM		

APARAT ZA
ZAVARIVANJE
WSME-200



AC

DC

CC

cena bez pdv-a

54.808 RSD

Rated Input Current	23.6A
Rated Input Capacity	5.2KVA
Output Current Range	10-180A/20-180A
Preblow Time	0-1s
Down Slope/Post flow	1-10
Ac frequency	0.5-300
Pulse Duty Cycle	10-90%
Remote Control	Yes
No load Voltage	65V
Duty Cycle	35%
Efficiency	85%
Power Factor	0.73
Protection Degree	IP21S
NET/Gross weight	24.7/125.7kg
Carton	52.5x35x39cm

APARAT ZA
ZAVARIVANJE
AC-DC-250



AC

DC

CC

cena bez pdv-a

38.000 RSD

Input Voltage	AC 110V / 220V	Max Current	42A
Input Current	32.5A / 41A	Efficiency	>85%
Output Current Rang	10-140A @ 15.6V (110V)10-250A @ 20V (220V)	Duty Cycle	60% @ 108A (110V) 60% @ 194A (220V)
No-load Voltage	56V	Cooling Mode	Fan Cooling
Working Voltage	23.7V (110V) / 28V (220V)	Protection Degree	IP21S

AUTOMATSKA MASKA
ZA ZAVARIVANJE
KEWM03-9030G



HD

CC

cena bez pdv-a

1.334 RSD

TIG	>10 amps	Power supply	Solar cell and CR2032 Lithium batteries
Power supply	Solar cell	Pcs/Ctn	20pcs
UV/IR protection	DIN15	NET/Gross weight	16/17.5kg
Light shade	DIN4	Carton	75.5x40x54cm
Viewing area	90x30mm		

DIZNE ZA PLAZMU
ZA SEČENJE
P-80
SET 10/1



cena bez pdv-a

2.510 RSD

32GOLD	38BLACK		
32CHROME	Size	1.3	1.5 1.7
32BLACK	Pcs/Ctn	1000pcs	
38GOLD	NET/Gross weight	30/32kg	
38CHROME	Carton	42x23x40cm	

POLIKABLOVI ZA
CO2 APARATE
MIG-MB 3M



cena bez pdv-a

3.450 RSD

MIG-MB 5M

cena bez pdv-a

4.720 RSD

Welding equipment	3M	Pcs/Ctn	10pcs
Welding equipment	5M	NET/Gross weight	19/21kg
		Carton	72x42x39.5cm

KOLICA ZA
CO2 APARATE
KWC-01



cena bez pdv-a

4.500 RSD

Height	70cm	Shelf spacing 2 to 3	18cm
Length	70cm	Pcs/Ctn	1pcs
Width	29 cm	4 wheels (2 fixed, 2 swivel 360°)	
Shelf spacing 1 to 2	30cm	3 shelves, side hooks for device	

KOLICA ZA
CO2 APARATE
SA FIOKAMA
KDWC-02



cena bez pdv-a

6.800 RSD

Wheels for easy movement	4	Pcs/Ctn	1pcs
Drawers for tools and accessories	4	NET/Gross weight	
Bottle compartment-capacity	13 kg	Carton	
Place for a CO2 device- capacity	15 kg		

PUNJAČ BATERIJA

KBC-30



Input Voltage	1PH/220V±15%	Battery Capacities	120-240Ah
Frequency	50/60Hz	Pcs/Ctn	4pcs
AC Power Input	370W=12V 550W=24V	NET/Gross weight	25.6/29kg
MAX Charging Current	30A	Carton	52x35.4x45cm

PUNJAČ BATERIJA

KBC-50



Input Voltage	1PH/220V±15%	Battery Capacities	170-350Ah
Frequency	50/60Hz	Pcs/Ctn	2pcs
AC Power Input	550W=12V 9200W=24V	NET/Gross weight	20.5/21.5kg
MAX Charging Current	50A	Carton	56x35x26.5cm

AKUMULATORSKA PRSKALICA

KBS-20LT



Barrel capacity	20L	Flow	1.2L/min-2.2L/min
Input	AC220V-230V 50/60Hz	Pcs/Ctn	1pcs
Output	DC12V 1.0A	NET/Gross weight	5.4/6.3kg
Battery	12V8Ah	Carton	40x22x55cm
Max. Pressure	0.15-0.4Mpa		

MOTORNA PRSKALICA

KPS-767



Barrel capacity	25L	Flow	3-8L/min
Hosepower	1.2Hp/7000rpm	Pcs/Ctn	1pcs
Air consumption	25.6CC	NET/Gross weight	18/19kg
Max. Pressure	1.5-2.5Mpa	Carton	66.5x43x53cm

STARTER I PUNJAČ

KCD-650



Voltage	220-230V	Start 12V	540A(1V/e)
Charge 12V	60A	Start 24V	540A(1V/e)
Charge 24V	60A	Pcs/Ctn	1pcs
P.Max Charge	2KVA	NET/Gross weight	23/25kg
P.Max Start	12KVA	Carton	67x42x33cm



VRABAC DIZALICA

KPA-500



Rate lifting Weight	250/500kg	Lifting Height	6/12m
Voltage frequency	220v/60Hz	Input Power	950W
Insulation grade	B	Work quota	20% 10min
Protection level	IP40	Lifting speed	5/10min

VRABAC DIZALICA

KPA-800



Rate lifting Weight	400/800kg	Lifting Height	6/12m
Voltage frequency	220v/60Hz	Input Power	1600W
Insulation grade	B	Work quota	20% 10min
Protection level	IP40	Lifting speed	5/10min

VRABAC DIZALICA

KPA-1000



Rate lifting Weight	499/999kg	Lifting Height	6/12m
Voltage frequency	220v/60Hz	Input Power	2000W
Insulation grade	B	Work quota	20% 10min
Protection level	IP40	Lifting speed	5/10min

VRABAC DIZALICA

KPA-1200



Rate lifting Weight	600/1200kg	Lifting Height	6/12m
Voltage frequency	220v/60Hz	Input Power	2400W
Insulation grade	B	Work quota	20% 10min
Protection level	IP40	Lifting speed	5/10min



**MOTORNI
BUŠAČ**

KGEA-520
+ burgija FI-100
+ burgija FI-150
+ burgija FI-200



cena bez pdv-a
11.136 RSD

Rated motor power	1.4KW	Volumes of fuel tank	1.2L
Engine displacement	52CC	Pcs/Ctn	2pcs
Idling speed	3000min	NET/Gross weight	18/20kg
Maximum speed	7500rev/min	Carton	79x43.5x31cm

**MOTORNI
TRIMER**

KBC-520



cena bez pdv-a
7.390 RSD

Rated motor power	1.4KW	Volumes of fuel tank	1.1L
Engine displacement	51.7CC	Pcs/Ctn	4pcs
Idling speed	2800min	NET/Gross weight	28/30kg
Maximum speed	9500rev/min	Carton	62x37x54cm

**VAZDUŠNI
KOMPRESOR**

KAC-15L-1350W



cena bez pdv-a
10.777 RSD

Rated Voltage	220-230V	Greatest pressure	0.8Mpa
Frequency	50/60Hz	Gas tank capacity	15L
Input Power	1350W	Pcs/Ctn	1pcs
Rated speed	2850r/min	NET/Gross weight	15.1/20.5kg
Exhaust volume	0.21m3/min	Carton	50x20x54cm

**VAZDUŠNI
KOMPRESOR**

KAC-30L-1350W



cena bez pdv-a
12.727 RSD

Rated Voltage	220-230V	Greatest pressure	0.8Mpa
Frequency	50/60Hz	Gas tank capacity	30L
Input Power	1350W	Pcs/Ctn	1pcs
Rated speed	2850r/min	NET/Gross weight	21/22.3kg
Exhaust volume	0.21m3/min	Carton	55.5x24x54.5cm

MOTALICA

KCR-50-A



cena bez pdv-a
3.550 RSD

Rated Voltage	220-230V	Pcs/Ctn	3pcs
Frequency	50/60Hz	NET/Gross weight	13/13.5kg
Input power	750W	Carton	67.5x30x39.5cm
Wire length	40M		

**MOTOR NA
BENZIN**

KGE-170



cena bez pdv-a
7.250 RSD

Engine Type	4-stroke, Air-cooled (OHV)	Fuel Tank:	3.6 L
Power	7.0 HP	Oil Capacity	0.6 L
Displacement	210 cc	Pcs/Ctn	1pcs
Max Speed	3600 rpm	NET/Gross weight	13/14kg
Shaft Type	Straight with keyway	Carton	36.5x30x32.5cm
Shaft Diameter	20 mm		

**VAZDUŠNI
KOMPRESOR**

KAC-50L-1350Wx2



cena bez pdv-a
22.888 RSD

Rated Voltage	220-230V	Greatest pressure	0.8Mpa
Frequency	50/60Hz	Gas tank capacity	50L
Input Power	1350Wx2	Pcs/Ctn	1pcs
Rated speed	2850r/min	NET/Gross weight	38.5/41.1kg
Exhaust volume	0.4m3/min	Carton	70x30x63.5cm

**VAZDUŠNI
KOMPRESOR**

KAC-120L-1350Wx4



cena bez pdv-a
53.372 RSD

Rated Voltage	220-230V	Greatest pressure	0.8Mpa
Frequency	50/60Hz	Gas tank capacity	120L
Input Power	1350Wx4	Pcs/Ctn	1pcs
Rated speed	2850r/min	NET/Gross weight	100/102kg
Exhaust volume	0.76m3/min	Carton	134x49.5x78cm

**ELEKTRIČNA
KOSAČICA**

KELM32-1200



cena bez pdv-a
6.500 RSD

Rated Voltage	220-230V	Cutting Width	320mm(13")
Frequency	50/60Hz	Pcs/Ctn	1pcs
Input power	1200W	NET/Gross weight	9.3/8kg
No load speed	3100r/min	Carton	60x38.5x29.5cm
Bag volume	30L		

**MOTORNA KOSAČICA
4T BENZIN**

KGGT-1500



cena bez pdv-a
23.660 RSD

Engine type	4-stroke gasoline engine	Cutting system:	Steel blade
Engine displacement:	150 cc	Cutting width:	400 – 500 mm
Power:	3.5 – 5.0 kW (≈4.5 – 6.5 HP)	Cutting height:	Adjustable (30 – 80 mm)
Starting system:	Recoil start	Wheel size:	Large wheels (rough terrain)
Fuel tank capacity:	1.0 – 1.5 L	Application:	Tall grass, weeds, brush
Drive type:	Push / optional self-propelled	Weight:	25 – 40 kg

**VAZDUŠNI
KOMPRESOR**

KDAC-30L-BM



cena bez pdv-a
10.572 RSD

Rated Voltage	220-230V	Pressure	8Bar
Frequency	50/60Hz	Gas tank capacity	30L
Input Power	1100W/1.5HP	Pcs/Ctn	1pcs
Rated speed	2850r/min	NET/Gross weight	20.8/22kg
Air delivery	195l/min	Carton	58x28.5x60cm

**VAZDUŠNI
KOMPRESOR**

KDAC-50L-BM



cena bez pdv-a
13.753 RSD

Rated Voltage	220-230V	Pressure	8Bar
Frequency	50/60Hz	Gas tank capacity	50L
Input Power	1800W/2.5HP	Pcs/Ctn	1pcs
Rated speed	2850r/min	NET/Gross weight	28/29.5kg
Air delivery	203l/min	Carton	73x32.5x69cm

VAZDUŠNI
KOMPRESOR

KBADC-100L



Rated Voltage	220-230V	Pressure	8Bar
Frequency	50/60Hz	Gas tank capacity	100L
Input Power	2200W/3HP	Pcs/Ctn	1pcs
Rated speed	1100r/min	NET/Gross weight	66/73kg
Air delivery	170l/min	Carton	103.5x45x82cm

VAZDUŠNI
KOMPRESOR

KBADC-150L



Rated Voltage	220-230V	Pressure	8Bar
Frequency	50/60Hz	Gas tank capacity	150L
Input Power	2200W/3HP	Pcs/Ctn	1pcs
Rated speed	1100r/min	NET/Gross weight	76/89kg
Air delivery	170l/min	Carton	115x45x86cm

MAŠINA ZA KREČENJE
KLIPNA

KPSM-3901



Voltage/Frequency	220-230V	Type of pump	Plunger
Frequency	50/60Hz	Weight	21kg
Input Power	1300W	Pcs/Ctn	1pcs
Max Flow Rate	2.9L/min	Carton	49x42.5x53cm
Max Pressure	3000 PSI		

MAŠINA ZA
KREČENJE

KDM-B1-990



Input Power	3000watt	Weight	45kg
Max Flow Rate	2.8L/min	Pcs/Ctn	1pcs
Max Pressure	3000psi	NET/Gross weight	25/27kg
Voltage/Frequency	220-230V	Carton	53.5x41x48cm
Frequency	50/60Hz		

VAZDUŠNI
KOMPRESOR

KAC-12V



Operating voltage	12V	Rest air pressure	200 PSI
Airflow	85 L/min	Duty cycle time	40mins
Working pressure	150 PSI	Valves	2
Ambient temperature	-55 ~ 60°C	Pcs/Ctn	1pcs
Max. Current Rating	30A		

SET ZA
KOMPRESOR



Pressure:	Max 13 Bar (187 PSI)	Usage:	Trucks, engines & workspaces
Material:	PU Spiral Hose	Net Weight:	420g
Length:	5 meters (Extended)	Gross Weight:	500g (with blister pack)
Couplers:	Quick-release (T-joint incl.)	Carton (50 units):	60 x 40 x 45 cm
Nozzle:	Long-reach steel		

PIŠTOLJ ZA
FARBANJE

W-71



Feed Type:	Suction (Bottom cup)	Inlet:	1/4" Universa
Nozzle:	1.5mm (Standard)	Pcs/Ctn	20pcs
Pressure:	3.0 - 5.0 Bar (43-72 PSI)	NET/Gross weight	15/16kg
Cup:	600ml - 750ml (Aluminum)	Carton	55x43.5x26.5cm
Feed:	Suction (Bottom cup)		



ELEKTRIČNA HOBLERICA
ZA ZIDOVE

KHWP-150-1600



Rated Voltage	220-230V	Planing width	150mm
Frequency	50/60Hz	Pcs/Ctn	1pcs
Input Power	1600W	NET/Gross weight	4.9/6.4kg
No load speed	3500r/min	Carton	30x32x20cm
Planing depth	1-4mm		

MAŠINA ZA KANALICE
ŠLICERICA

KWC-150x2-1600



Rated Voltage	220-230V	Blade diameter:	Max 150 mm
Frequency	50/60Hz	Cutting depth:	Adjustable
Input Power	1600W	Pcs/Ctn	5pcs
Speed:	5000-6000 RPM	NET/Gross weight	22/23kg
Blades:	Dual-blade system (2 discs)	Carton	57x44.5x24.5cm

CREVO ZA MAŠINU
ZA KREČENJE

Dužina 15M

cena bez pdv-a
1.672 RSD

Dužina 30M

cena bez pdv-a
2.517 RSD



Pressure:	Up to 345 Bar (5000 PSI)	Compatibility:	Wagner, Graco, Titan, etc.
Material:	Fiber-braid reinforced Nylon/PU	Net Weight (15m/30m):	1.4 kg / 2.7 kg
Threads:	1/4" NPS / NPT (Universal)	Gross Weight (15m/30m):	1.6 kg / 3.0 kg
Protection:	Zinc-plated spring guards	Carton (15m x 10pcs):	45x35x40 cm
Length:	15m (50ft) / 30m (100ft)	Carton (30m x 5pcs):	45x35x40 cm

DIZNE ZA MAŠINU
ZA KREČENJE

513
517
519
523
525
527



cena bez pdv-a
590 RSD

Pressure:	Up to 345 Bar (5000 PSI)	Usage:	Paints, primers & varnishes
Material:	Tungsten steel & plastic	Sizes:	513, 517, 519, 521, 523, 525, 527
Compatibility:	Standard airless guns	NET/Gross weight	8Kg/9Kg
Spray:	Precise, low overspray	Carton	40X30x25cm
Durability:	High wear resistance		

MAŠINA ZA PLOČICE/
KERAMIKU

KTCM-800D
Radna površina 80cm



Pcs/Ctn	2pcs
NET/Gross weight	20/21kg
Carton	83.5x20.5x27cm

cena bez pdv-a
5.927 RSD

MAŠINA ZA PLOČICE/
KERAMIKU

KTCM-1000D
Radna površina 100cm



Pcs/Ctn	2pcs
NET/Gross weight	20/21kg
Carton	83.5x20.5x27cm

cena bez pdv-a
6.574 RSD

LASER ZA
NIVELACIJU

KLL-G12-TDS
+ Stalak 1.2m



cena bez pdv-a
6.918 RSD

Laser model	3Dx360°	Out-of-level warning	≥3 lines flickering
Range	100m	Self-leveling time	<15s(wide)
Wave length	505-520nm	Working Temperature	-20~+60°C
Vertical Accuracy	±1mm(5m)	Pcs/Ctn	5pcs
Horizontal Accuracy	±1mm(5m)	NET/Gross weight	10.5/11.5kg
Horizontal Accuracy	40"	Carton	67x35.5x30cm

LASER ZA
NIVELACIJU

KLL-G16-TQS
+ Stalak 1.2m



cena bez pdv-a
8.298 RSD

Laser model	4Dx360°	Out-of-level warning	≥3 lines flickering
Range	100m	Self-leveling time	<15s(wide)
Wave length	505-520nm	Working Temperature	-20~+60°C
Vertical Accuracy	±1mm(5m)	Pcs/Ctn	5pcs
Horizontal Accuracy	±1mm(5m)	NET/Gross weight	11.5/12.5kg
Horizontal Accuracy	40"	Carton	67x35.5x30cm

MAŠINA ZA PLOČICE/
KERAMIKU

KTCM-1200D
Radna površina 120cm



Pcs/Ctn	2pcs
NET/Gross weight	20/21kg
Carton	83.5x20.5x27cm

cena bez pdv-a
7.759 RSD

NOŽ ZA MAŠINU
ZA SEČENJE
KERAMIKE



cena bez pdv-a
460 RSD

Type	Tile cutter wheel (with bearing)	Application	Ceramic/Porcelain cutting
Outer Diameter	22 mm	Pcs/Ctn	200 pcs (100 packs of 2)
Inner Hole	6 mm	Net Weight	12 kg
Thickness	6 mm	Gross Weight	13.5 kg
Material	Titanium-coated	Carton Size	40x25x20cm

LASER ZA
NIVELACIJU

KLL-G16-ZJ
+ Stalak 0.95m



cena bez pdv-a
7.420 RSD

Laser model	4Dx360°	Out-of-level warning	≥3 lines flickering
Range	100m	Self-leveling time	<15s(wide)
Wave length	520nm	Operating Temperature	-10~+45°C
Vertical Accuracy	±1mm(5m)	Pcs/Ctn	6pcs
Horizontal Accuracy	±1mm(5m)	NET/Gross weight	19/21kg
Horizontal Accuracy	40"	Carton	74x44.5x35.5cm

LASERSKI
DALJINOMER

KLDM-100



cena bez pdv-a
2.933 RSD

Accuracy of measurement	±3mm	Data is stored	20 sets of data
Measuring range	100m	Laser type	620~690nm
The smallest display	1mm	Laser power	<1mW
Laser level Class II		Pcs/Ctn	80pcs
Operating temperature	0°C-40°C	NET/Gross weight	16.8/17.6kg
Storage temperature	-20°C-60°C	Carton	57x37.5x37.2cm

MIKSER

KEHM-120S



cena bez pdv-a
5.953 RSD

Rated Voltage	220-230V	Tool connection	M14
Frequency	50/60Hz	Pcs/Ctn	2pcs
Input power	1400W	NET/Gross weight	10.5/11.3kg
No load speed	0-750r/min	Carton	66.5x34x22cm
Paddle	120mmX590mm		

MIKSER

KEHM-130S



cena bez pdv-a
6.364 RSD

Rated Voltage	220-230V	Paddle	120mmX590mm
Frequency	50/60Hz	Tool connection	M14
Input power	1400W	Pcs/Ctn	2pcs
Speed I	0-600rpm/min	NET/Gross weight	10.8/11.6kg
Speed II	0-900rpm/min	Carton	66.5x34x22cm

VAKUM ZA
PLOČICE

KAPSC-200



cena bez pdv-a
1.640 RSD

Type	Manual	Safety	Red line indicator
Load Capacity	160 kg	Pcs/Ctn	10pcs
Diameter	Ø 200 mm	NET/Gross weight	19.8/20kg
Material	High-grade Rubber/ABS	Carton	65.5x34x22 cm
System	Manual vacuum pump		

AKU VAKUM ZA
PLOČICE

KAPSC-3.6V-200



cena bez pdv-a
2.696 RSD

Load Capacity	220 kg	System	Automatic electric pump
Diameter	Ø 200 mm	Feature	Auto-pressure sensor
Voltage	D.C. 3.7V - 4.2V (max)	Pcs/Ctn	10pcs
Power	3W	NET/Gross weight	17.6/20kg
Material	High-grade Rubber/ABS	Carton	37x31.5x37.2cm

BENZISKI
AGREGAT

KGG-950T

cena bez pdv-a
8.929 RSD

Engine Type	PT1E45F	
Displacement	63CC	Rated Voltage 220-230V
Max.Output	1.5KW-2.5HP	A.C.frequency 50/60Hz
Fuel tank capacity	4.2L	Max.A.C.output 760W
Min.Fuel Consumption	0.5L/h	Rated.A.C.output 600W
Continuous operating time	12h	Pcs/Ctn 1pcs

BENZISKI
AGREGAT

KGG-2800

cena bez pdv-a
20.220 RSD

Engine Type	OHV, FORCED AIR-COOLED, 4-STROKE	
Displacement	212CC	Rated Voltage 220-230V
Max.Output	3.65KW-7HP	A.C.frequency 50/60Hz
Fuel tank capacity	15L	Max.A.C.output 2.2KW
Min.Fuel Consumption	0.5L/h	Rated.A.C.output 2.0KW
Continuous operating time	12h	Pcs/Ctn 1pcs
Noise	93dB	NET/Gross weight 34.5/36.5kg
Lube.oil capacity	0.6L	Carton 60.5x44.5x43.5cm

MOTORNA
TESTERA

KGCS25-0.9

cena bez pdv-a
7.185 RSD

Displacement	25.4CC	Max Speed	11500±300rpm
Rated input power	0.9kw(1.2HP)	Two-cycle Oil	1:25
Fuel Tank Capacity	280ml	Pcs/Ctn	3pcs
Engine Oil Tank Capacity	200ml	NET/Gross weight	14.5/13kg
Idle Speed	3000±300rpm	Carton	67.5x37.5x22.5cm

MOTORNA
TESTERA

KGCS58-2.2

cena bez pdv-a
7.903 RSD

Displacement	58CC	Two-cycle Oil	1:25
Rated input power	2.2kw(2.6HP)	Pcs/Ctn	2pcs
Fuel Tank Capacity	550ml	NET/Gross weight	15/16kg
Engine Oil Tank Capacity	260ml	Carton	44x42x29.5cm
Idle Speed	3000rpm/min		

BENZISKI
AGREGAT

KGG-3500

cena bez pdv-a
22.375 RSD

Engine Type	OHV, FORCED AIR-COOLED, 4-STROKE	
Displacement	212CC	Rated Voltage 220-230V
Max.Output	3.65KW-7HP	A.C.frequency 50/60Hz
Fuel tank capacity	15L	Max.A.C.output 2.8KW
Min.Fuel Consumption	0.5L/h	Rated.A.C.output 2.5KW
Continuous operating time	10h	Pcs/Ctn 1pcs
Noise	93dB	NET/Gross weight 37.5/39.5kg
Lube.oil capacity	0.6L	Carton 60.5x44.5x43.5cm

BENZISKI
AGREGAT

KGG-6500ES

cena bez pdv-a
63.635 RSD

Engine Type	OHV, FORCED AIR-COOLED, 4-STROKE	
Displacement	389CC	Rated Voltage 220-230V
Max.Output	7.2KW-13HP	A.C.frequency 50/60Hz
Fuel tank capacity	25L	Max.A.C.output 5.5KW
Min.Fuel Consumption	0.7L/h	Rated.A.C.output 5.0KW
Continuous operating time	12h	Pcs/Ctn 1pcs
Noise	97dB	NET/Gross weight 75/82kg
Lube.oil capacity	1.1L	Carton 69.5x54x54.5cm

MOTORNA
TESTERA

KGCS58-2.5

cena bez pdv-a
9.237 RSD

Displacement	55.6CC	Two-cycle Oil	1:25
Rated input power	2.5kw(3.4HP)	Pcs/Ctn	2pcs
Fuel Tank Capacity	550ml	NET/Gross weight	15/16kg
Engine Oil Tank Capacity	260ml	Carton	44x42x29.5cm
Idle Speed	3000rpm/min		

ELEKTRIČNA
TESTERA

KCS-1800T

cena bez pdv-a
4.721 RSD

Rated Voltage	220-230V	Max cut length	335mm
Frequency	50/60Hz	Bizde length	405mm
Input power	1800W	Pcs/Ctn	4pcs
No load speed	7200rpm	NET/Gross weight	21/23kg
Chain speed	13m/s	Carton	54x45x34cm

DIZEL
AGREGAT

KDG192-1000XE-3D

cena bez pdv-a
83.290 RSD

Rated Voltage	220-230V	Displacement	0.498L
Rated frequency	50Hz	No load speed	3000rpm/3600rpm
Rated voltage(DC)	12V	Max.A.C.output	8.5KW
Rated output	8.0KVA	Rated.A.C.output	7.5KW
Max.output	9.0KVA	Pcs/Ctn	1pcs
Oil capacity	1.66L	NET/Gross weight	116/120kg
Fuel tank capacity	12.6L	Carton	74x49.5x67cm

ELEKTRIČNA
TESTERA

KCS-2200T

cena bez pdv-a
5.850 RSD

Rated Voltage	220-230V	Max cut length	335mm
Frequency	50/60Hz	Bizde length	405mm
Input power	2200W	Pcs/Ctn	4pcs
No load speed	8000rpm	NET/Gross weight	25/27kg
Chain speed	13.5m/s	Carton	58x47x36.5cm

LISIČARKA

KRS115-750

cena bez pdv-a
4.003 RSD

Rated Voltage	220-230V	Cutting capacity Aluminium	12mm
Frequency	50/60Hz	Cutting capacity wood	115mm
Input power	750W	Pcs/Ctn	4pcs
No load speed	900-3300r/min	NET/Gross weight	11/12kg
Stroke capacity	26mm	Carton	48x35.5x21.5cm
Cutting capacity steel	8mm		

MOTORNA PUMPA
KGWP-20A



cena bez pdv-a
10.674 RSD

Rated output power	5.5HP	Diameter of outlet/inlet	50x50mm
Displacement	163cc	Flow	470L/min
Engine model	168F	Pump lift	26mm
Starting system	Recoil/Electric	NET/Gross weight	22/23kg
Fuel tank capacity	3.6L	Carton	48x38.5x40.5cm

MOTORNA PUMPA
KGWP-30A



cena bez pdv-a
11.290 RSD

Rated output power	6.5HP	Diameter of outlet/inlet	80x80mm
Displacement	196cc	Flow	810L/min
Engine model	168F-1	Pump lift	26mm
Starting system	Recoil/Electric	NET/Gross weight	22/23kg
Fuel tank capacity	3.6L	Carton	48x38.5x40.5cm

PUMPA ZA VODU
QB-60



cena bez pdv-a
3.284 RSD

Rated Voltage	220-230V		
Frequency	50/60Hz	Max.Suct	9m
Rated Input Power	370W	Current	5A
Rotating speed	2850r/min	Pcs/Ctn	6pcs
Max.Flow	30L/min	NET/Gross weight	25/26kg
Max.Head	25m	Carton	44x29.5x37.5cm

PUMPA ZA VODU
QB-80



cena bez pdv-a
4.311 RSD

Rated Voltage	220-230V		
Frequency	50/60Hz	Max.Suct	9m
Rated Input Power	750W	Current	5.5A
Rotating speed	2850r/min	Pcs/Ctn	3pcs
Max.Flow	45L/min	NET/Gross weight	23/24kg
Max.Head	50m	Carton	53x34.5x22cm

DIZEL MOTORNA PUMPA 2 COLA
KDCWP173-20M



cena bez pdv-a
31.670 RSD

Bore Stroke	73x59mm		
Cont Output	3.2KW	Pcs/Ctn	1pcs
Engine speed	3600r/min	NET/Gross weight	35.4/37.2kg
Displacement	0.247L	Carton	52.5x53.5x46cm

DIZEL MOTORNA PUMPA 3 COLA
KDCWP178-30M

Pali na ključ



cena bez pdv-a
43.150 RSD

Bore Stroke	78x64mm		
Cont Output	4.0KW	Pcs/Ctn	1pcs
Engine speed	3600r/min	NET/Gross weight	55/56.2kg
Displacement	0.296L	Carton	58x56.5x47cm

PUMPA ZA VODU
CPM-130



cena bez pdv-a
5.132 RSD

Rated Voltage	220-230V		
Frequency	50/60Hz	Max.Suct	9m
Rated Input Power	370W	Current	5A
Rotating speed	2850r/min	Pcs/Ctn	3pcs
Max.Flow	90L/min	NET/Gross weight	23/25kg
Max.Head	22m	Carton	56x29x24.5cm

PUMPA ZA VODU
CPM-158



cena bez pdv-a
6.846 RSD

Rated Voltage	220-230V		
Frequency	50/60Hz	Max.Suct	9m
Rated Input Power	750W	Current	5.5A
Rotating speed	2850r/min	Pcs/Ctn	2pcs
Max.Flow	110L/min	NET/Gross weight	24/26kg
Max.Head	32m	Carton	42x34x28cm

POTAPAJUĆA PUMPA
KVP-60



cena bez pdv-a
2.360 RSD

Rated Voltage	220-230V	Max Head	72m
Frequency	50/60Hz	Pcs/Ctn	1pcs
Input power	600W	NET/Gross weight	2.7/3.2kg
Max-Flow	18L/min	Carton	30x15x18cm



SAMOUSISAVAJUĆA PUMPA ZA VODU
JET-120



cena bez pdv-a
6.569 RSD

Rated Voltage	220-230V		
Frequency	50/60Hz	Max.Suct	9m
Rated Input Power	750W	Current	5.5A
Rotating speed	2850r/min	Pcs/Ctn	2pcs
Max.Flow	55L/min	NET/Gross weight	25/26kg
Max.Head	45m	Carton	49x44x26cm

HIDRO PAK
GP-130



cena bez pdv-a
5.610 RSD

Rated Voltage	220-230V		
Frequency	50/60Hz	Max.Suct	8m
Rated Input Power	370W	Current	5A
Rotating speed	2850r/min	Pcs/Ctn	3pcs
Max.Flow	35L/min	NET/Gross weight	19.5/21kg
Max.Head	25m	Carton	60.5x30x29.5cm

POTAPAJUĆA PUMPA

K4QGD1.2/50-370-20M
0.37KW



Motor power	0.37 kW (0.5 HP)	Frequency	50 Hz
Maximum head	up to 44m	Pcs	1
Maximum flow rate	32L/min	NET/Gross weight	10/9.3 kg
Speed	2850 r/min	Carton	54 x 10 x 16 cm
Voltage	220/240 V		

POTAPAJUĆA PUMPA

K4SDM4/6-370S-20
0.37KW + Kontrolna Sklopka



Motor power	0.37 kW (0.5 HP)	Speed	2850 r/min
Maximum head	44m	Voltage	220/240 V
Maximum flow rate	100L/min	Frequency	50 Hz
Flow rate	At 13 m head: 90 L/min	Pcs	1
	At 30 m head: 60 L/min	NET/Gross weight	12.3/11.5 kg
	At 39 m head: 20 L/min	Carton	94 x 13 x 18 cm

POTAPAJUĆA PUMPA

K4SDM4/14-1100-20M
1.1KW



Motor power	1.1kW (1.5 HP)	Speed	2850 r/min
Maximum head	101m	Voltage	220/240 V
Maximum flow	100L/min	Frequency	50 Hz
Flow rate	At 30 m head: 90 L/min	Pcs	1
	At 69 m head: 60 L/min	NET/Gross weight	17.6/16.7 kg
	At 92 m head: 20 L/min	Carton	106.5 x 13 x 17 cm

POTAPAJUĆA PUMPA

K4SDM4/14-1100S-20M
1.1KW + Kontrolna Sklopka



Motor power	1.1kW (1.5 HP)	Speed	2850 r/min
Maximum head	101m	Voltage	220/240 V
Maximum flow	100L/min	Frequency	50 Hz
Flow rate	At 30 m head: 90 L/min	Pcs	1
	At 69 m head: 60 L/min	NET/Gross weight	18.1/17.1 kg
	At 92 m head: 20 L/min	Carton	124.5 x 13 x 18 cm

POTAPAJUĆA PUMPA

K4SDM4/8-550-20M
0.55KW



Motor power	0.55 kW (0.75 HP)	Speed	2850 r/min
Maximum head	58m	Voltage	220/240 V
Maximum flow	100L/min	Frequency	50 Hz
Flow rate	At 17 m head: 90 L/min	Pcs	1
	At 40 m head: 60 L/min	NET/Gross weight	12.9/12.1 kg
	At 53 m head: 20 L/min	Carton	82.5 x 13 x 17 cm

POTAPAJUĆA PUMPA

K4SDM4/8-550S-20M
0.55KW + Kontrolna Sklopka



Motor power	0.55 kW (0.75 HP)	Speed	2850 r/min
Maximum head	58m	Voltage	220/240 V
Maximum flow	100L/min	Frequency	50 Hz
Flow rate	At 17 m head: 90 L/min	Pcs	1
	At 40 m head: 60 L/min	NET/Gross weight	13.3/12.5 kg
	At 53 m head: 20 L/min	Carton	101 x 13 x 18 cm

POTAPAJUĆA PUMPA

K4SDM4/18-1500S-20M
1.5KW + Kontrolna Sklopka



Motor power	1.5 kW (2 HP)	Speed	2850 r/min
Maximum head	130m	Voltage	220/240 V
Maximum flow	115L/min	Frequency	50 Hz
Flow rate	At 39 m head: 90 L/min	Pcs	1
	At 89 m head: 60 L/min	NET/Gross weight	21.7/20.6 kg
	At 118 m head: 20 L/min	Carton	143 x 13 x 18 cm

POTAPAJUĆA PUMPA

K4SDM4/10-750-20M
0.75KW



Motor power	0.75 kW (1 HP)	Speed	2850 r/min
Maximum head	72m	Voltage	220/240 V
Maximum flow	100L/min	Frequency	50 Hz
Flow rate	At 21 m head: 90 L/min	Pcs	1
	At 50 m head: 60 L/min	NET/Gross weight	14.5/13.7 kg
	At 66 m head: 20 L/min	Carton	91 x 13 x 17 cm

POTAPAJUĆA PUMPA


K4SDM4/10-750S-20M
0.75KW + Kontrolna Sklopka



Motor power	0.75 kW (1 HP)	Speed	2850 r/min
Maximum head	72m	Voltage	220/240 V
Maximum flow	100L/min	Frequency	50 Hz
Flow rate	At 21 m head: 90 L/min	Pcs	1
	At 50 m head: 60 L/min	NET/Gross weight	15/14.1 kg
	At 66 m head: 20 L/min	Carton	109 x 13 x 18 cm

POTAPAJUĆA PUMPA

K4SDM4/26-2200S-20M
2.2KW + Kontrolna Sklopka



Motor power	2.2 kW (3 HP)	Speed	2850 r/min
Maximum head	188 m	Voltage	220/240 V
Maximum flow	130L/min	Frequency	50 Hz
Flow rate	At 56 m head: 90 L/min	Pcs	1
	At 129 m head: 60 L/min	NET/Gross weight	26.5/25.5 kg
	At 171 m head: 20 L/min	Carton	105 x 22 x 18 cm



MAŠINA ZA ŠIVENJE DŽAKOVA

KSM9-2



cena bez pdv-a

4.850 RSD



Rated Voltage	220-230V	Needle size	GK9x1
Frequency	50/60Hz	Thread	21s/12-18
Input power	130W	Pcs/Ctn	6pcs
No load speed	800rpm	NET/Gross weight	22/23.5kg
Stitch	7-9mm	Carton	56x40x64.5cm

MAŠINA ZA ŠIVENJE DŽAKOVA

KSM9-818



cena bez pdv-a

6.466 RSD



Rated Voltage	220-230V	Needle size	GK9x1
Frequency	50/60Hz	Thread	21s/12-18
Input power	210W	Pcs/Ctn	6pcs
No load speed	1800rpm	NET/Gross weight	22/22kg
Stitch	7-9mm	Carton	56x31x60cm

VIBRATOR ZA BETON

KCMV-1500
+ Crevo 6m



cena bez pdv-a

6.979 RSD



Rated Voltage	220-230V	Protection class	IP44
Frequency	50/60Hz	Pcs/Ctn	2pcs
Input power	1500W	NET/Gross weight	18/19kg
No load speed	2850r/min	Carton	57x36.5x31.5cm

VIBRATOR ZA BETON

KCMV-2200
+ Crevo 6m




cena bez pdv-a

9.237 RSD



Rated Voltage	220-230V	Protection class	IP44
Frequency	50/60Hz	Pcs/Ctn	2pcs
Input power	2200W	NET/Gross weight	25/26kg
No load speed	2850r/min	Carton	57x39.5x32cm

SADILICA



cena bez pdv-a

1.543 RSD

Material	Stainless steel or galvanized sheet metal
Height	92cm
Tube Diameter	7.5 cm
Weight	Ultra-lightweight (1.3 – 2 kg)
Planting Depth	Adjustable up to 8 – 10 cm

KRUNJAČ ZA KUKURUZ

KCT-YC-50



cena bez pdv-a

8.100 RSD

Rated Voltage	220-230V	
Frequency	50/60Hz	Pcs/Ctn 1pcs
Rated power	1.1KW	NET/Gross weight 14.2/14.8kg
No load speed	2800r/min	Carton 57x28x30cm

VIBRATOR ZA BETON

KCV-800



cena bez pdv-a

3.125 RSD



Rated Voltage	220-230V	
Frequency	50/60Hz	Coupling Type Thread
Input power	800W	Pcs/Ctn 10pcs
No load speed	2850r/min	NET/Gross weight 22.5/21.5kg
Vibration Head	35mm	Carton 43x33.5x35cm

VIBRATOR ZA BETON

KCV-960



cena bez pdv-a

4.095 RSD



Rated Voltage	220-230V	
Frequency	50/60Hz	Coupling Type Thread
Input power	960W	Pcs/Ctn 10pcs
No load speed	2850r/min	NET/Gross weight 23/24kg
Vibration Head	35mm	Carton 43x33.5x36.5cm

STOLNA BRUSILICA

KBG-150



cena bez pdv-a

3.182 RSD



Rated Voltage	220-230V	Disc size	150x20x12.7mm
Frequency	50/60Hz	Pcs/Ctn	3pcs
Input power	250W	NET/Gross weight	18.5/19kg
No load speed	2950r/min	Carton	59x35.5x25.5cm

STOLNA BRUSILICA

KBG-200



cena bez pdv-a

3.900 RSD



Rated Voltage	220-230V	Disc size	200x20x12.7mm
Frequency	50/60Hz	Pcs/Ctn	2pcs
Input power	350W	NET/Gross weight	18.5/19kg
No load speed	2950r/min	Carton	50x36.5x30cm

CREVO ZA VIBRATOR

6M



cena bez pdv-a

4.165 RSD

Length	6 meters	Amplitude	1.2 mm – 1.8 mm
Head Diameter	45 mm (Standard)	Coupling	Hex / Claw
Weight	13 kg – 17 kg	Material	SBR / Steel / Hardened head
Frequency	10.000 – 12.500 vpm		

PUMPA ZA MERENJE PRITISKA

KRP-50



cena bez pdv-a

6.230 RSD

Max Pressure	50 bar / 5 MPa / 725 psi	Testing Fluid:	Water / Oil
Flow Volume	≤ 50 ml/times	Hose Connection	1/2
Water Tank Volume	12L	Pcs/Ctn	2pcs
Flow Volume (Stroke)	45 ml	NET/Gross weight	15.5/17kg
Valve System	Dual Valve	Carton	51.5x37x31x5cm

USISIVAČ
KVC-30L



Rated Voltage	220-230V		
Frequency	50/60Hz	Pcs/Ctn	1pcs
Input power	1200W	NET/Gross weight	7.6/8.9kg
No load speed	3300r/min	Carton	35.5x35.5x58cm

USISIVAČ
KVC-50L



Rated Voltage	220-230V		
Frequency	50/60Hz	Pcs/Ctn	1pcs
Input power	1200W	NET/Gross weight	10.5/12.5kg
No load speed	3300r/min	Carton	46x44x65cm

USISIVAČ ZA
ŽIRAFU
KVC-20L-SF

Rated Voltage	220-230V
Frequency	50/60Hz
Power input	1200W
No load speed	33000r/mim
Vacuum degree	≥17lpa
Capacity	20L
Pcs/Ctn	1pcs
Net/Gross weight	7.6/8.9kg
Carton	35.5x35.5x45cm



PERAČ VISOKOG
PRITISKA

KHPW-2200N

cena bez pdv-a
19.680 RSD

KHPW-3000N

cena bez pdv-a
33.800 RSD



Rated Voltage	220-230V	Length of the washing hose	10m
Frequency	50/60Hz	Discharge	13L.min/16L.min
Input power	2200W/3000W	Pcs/Ctn	1pcs
Rated pressure	2850r.min/1450r.min	NET/Gross weight	30-31.5kg /55-56kg
No Load Speed	200bar	Carton	52x38x38.5cm/66x54.5x50.5cm

USISIVAČ
KVC-70L



Rated Voltage	220-230V		
Frequency	50/60Hz	Pcs/Ctn	1pcs
Input power	2400W	NET/Gross weight	17/19.5kg
No load speed	27500r/minX2	Carton	55x46x92cm

USISIVAČ ZA
PEPEO
KAC-9A-20L



Rated Voltage	220-230V	Vacuum degree	≥16kpa
Frequency	50/60Hz	Pcs/Ctn	1pcs
Input power	1200W	NET/Gross weight	34/36.1kg
Max Flow Rate	20L/min	Carton	61.5x48x61.5cm

PERAČ VISOKOG
PRITISKA
KHPW-1400



Rated Voltage	220-230V	Motor type: carbon brush-aluminu wire
Frequency	50/60Hz	Motor size 1400W
Max Pressure	105Bar	Pcs/Ctn 3pcs
Working Pressure	70Bar	NET/Gross weight 20/21kg
Rated Flow	5.0L/Min	Carton 86x32x44.5cm

PERAČ VISOKOG
PRITISKA
KHPW-1600



Rated Voltage	220-230V	Motor type: carbon brush-aluminu wire	
Frequency	50/60Hz	Motor size	1600W
Max Pressure	105Bar	Pcs/Ctn	3pcs
Working Pressure	70Bar	NET/Gross weight	20/23kg
Rated Flow	5.0L/Min	Carton	86x35x44.5cm

USISIVAČ ZA
DUBINSKO PRANJE
KCSE-302-15L

Mains Voltage	220-240V - 50/60Hz
Power input	1400W
Suction	>18Kpa
Ingress Protection	IPX4
Vacuum Valume	15l
Water Tank Capacity	4L
Hose	1.5m
Pump Power	19-25W
Power Cable	4M
Pcs/Ctn	1pcs
Net/Gross weight	7.6/8.8kg
Carton	38x35x51cm



USISIVAČ ZA
DUBINSKO PRANJE
KCSE-302-25L

Mains Voltage	220-240V - 50/60Hz
Power input	1400W
Suction	>18Kpa
Ingress Protection	IPX4
Vacuum Valume	25l
Water Tank Capacity	4.5L
Hose	1.5m
Pump Power	19-25W
Power Cable	4M
Pcs/Ctn	1pcs
Net/Gross weight	7.2kg
Carton	39x38.5x52.5cm



PERAČ VISOKOG
PRITISKA
KHPW-1800



Rated Voltage	220-230V	Motor type: carbon brush-aluminu wire
Frequency	50/60Hz	Motor size 1800W
Max Pressure	110Bar	Pcs/Ctn 2pcs
Working Pressure	75Bar	NET/Gross weight 16.6/17.5kg
Rated Flow	5.0L/Min	Carton 58x42x44.5cm

PERAČ VISOKOG
PRITISKA
KHPW-2000



Rated Voltage	220-230V	Motor type: carbon brush-aluminu wire
Frequency	50/60Hz	Motor size 2000W
Max Pressure	135Bar	Pcs/Ctn 1pcs
Working Pressure	100Bar	NET/Gross weight 19/21kg
Rated Flow	6L/Min	Carton 36x35.5x79cm

PEGLA ZA ZAVARIVANJE
CEVI
KPPK-800



Rated Voltage	220-230V	Diameter	20/25/32/40/50/63mm
Frequency	50/60Hz	Pcs/Ctn	5pcs
Input power	800W	NET/Gross weight	14.8/15.3kg
Temperature	240-300°C	Carton	44.5x39.5x21cm

PEGLA ZA ZAVARIVANJE
CEVI
KPPK-1600



Rated Voltage	220-230V	Diameter	20/25/32/40/50/63mm
Frequency	50/60Hz	Pcs/Ctn	3pcs
Input power	1600W	NET/Gross weight	16.5/17kg
Temperature	0-300°C	Carton	46.5x32x29.5cm

MAŠINICA ZA ŠIŠANJE
OVACA
KEWS-320S



Rated Voltage	220-230V		
Frequency	50/60Hz	Pcs/Ctn	5pcs
Input Power	320W	NET/Gross weight	14/15kg
No load speed	2400-28000min	Carton	51x45x22cm

NOŽEVI ZA
MAŠINICU ZA
ŠIŠANJE OVACA



Set Content	1 Bottom Plate (Comb) + 1 Top Blade (Cutter)
Teeth Count	13 teeth on the comb and 4 teeth on the cutter
Comb Width	Standard 76 mm
Cutter Length	Standard 60 mm
Material	High-carbon hardened steel or stainless steel for durability

PODUPIRAČ
ZA VOZILA
KJS-3T



Load Capacity	3 Tons (3,000 kg) per pair	Safety	Multi-position lock
Min. Height	285 mm (11.2")	Pcs/Ctn	4pcs
Max. Height	425 mm (16.7")	NET/Gross weight	21/23kg
Mechanism	Self-locking ratchet	Carton	46x40x36cm
Material	Heavy-duty steel		

HIDRAULIČNA
DIZALICA
KHBJ-3T



Lifting capacity	3000kg	Features:	small size and weight,
Min Lifting range	194mm		making it easy to carry and
Max Lifting range	374mm		convenient for storage
Handle Force	max300N		

TOPLITNI
PIŠTOLJ
KHG-2000B



Rated Voltage	220-230V	Air Flow	I:300L/M II:500L/M
Frequency	50/60Hz	Pcs/Ctn	10pcs
Input Power	2000W	NET/Gross weight	9/10kg
Temperature	I:350 °C II:600 °C	Carton	57x44x26cm

SAJLA ZA MAŠINU
ZA KANALIZACIJU
12M FI 16



Product	Sewer Cleaning Cable (Drain Auger)
Total Length	12 m
Diameter	FI 16 (16 mm)
Material	High-grade flexible spring steel
Compatibility	Fits manual or electric drain cleaning machines

ČEKRK
DIZALICA
KHCH-1.5-3M



Rate lifting Weight	1.500kg	Pcs/Ctn	1pcs
Chain length:	3m	NET/Gross weight	13/15kg
		Carton	36x18x18cm

NISKOPODNA
DIZALCA
KFJLP-4T-2P



Lefting Weight	4000kg	Pumping System:	Dual high-speed pump
Min Height	75mm	Lifting Height	6/12m
Max Height	500mm	Pcs/Ctn	1pcs
Handle Force	max300N	NET/Gross weight	33/31kg
Type	Low-profile dual-pump crane	Carton	78x40.5x20cm

MAŠINA ZA
OTPUŠAVANJE
KANALIZACIJE
KGQ-80



Rated Voltage	220-230V	Working Range	20-100mm
Frequency	50/60Hz	Pcs/Ctn	1pcs
Input Power	800W	NET/Gross weight	14/13.5kg
No Load Speed	400rpm	Carton	40.5x31.5x845cm

MAŠINA ZA
OTPUŠAVANJE
KANALIZACIJE
KGQ-150



Rated Voltage	220-230V	Working Range	20-150mm
Frequency	50/60Hz	Pcs/Ctn	1pcs
Input Power	450W	NET/Gross weight	30.5/31kg
No Load Speed	400rpm	Carton	65x46x46.5cm

PRETAKALICA
KMOP-12V



Flow rate	30L/min	Pump length	175 mm
Voltage	12V	Cable length	5m
Power	60W	Maximum lifting height	2.5 m
Pump diameter	51 mm		

PRETAKALICA
KMOP-24V



Flow rate	30L/min	Pump length	175 mm
Voltage	24V	Cable length	5m
Power	60W	Maximum lifting height	2.5 m
Pump diameter	51 mm		

MAŠINA ZA
GLETOVANJE
SA DVA MOTORA

KGC-30
2 x1680W



Compressor Power	2 x 1680W	Tank Capacity	25 Liters
Mixer Motor	1600W	Vertical Reach	Up to 20 meters
Voltage	220V / 50Hz	Motor Type	Brushless compressor
Flow Rate	Up to 20 L/min		

MAZALICA
PNEUMATSKA
KAGL-12L



Compressed air	0.6-0.8 MPa	Grease transmission veloty	0-85L/min
Pressure ratio	50:1	Pcs/Ctn	1pcs
Transmission pressure	30-40 MPa	Net/Gross weight	11/12kg
Contenance	12 litres	Carton	36x32x85cm

PNEUMATSKI
PIŠTOLJ
KAIW-536-3/4
Udarna snaga 1800NM



Square drive	3/4	Impact power	1800 Nm
Torque 1800N.m	7500rpm/33m	Air inlet	1/2
Air consumption	500L/min	Air hose	1/2
Socket:	3/4"	NET/Gross weight	3.56kg

PNEUMATSKI
PIŠTOLJ
KAIW-218-1/2
Udarna snaga 650NM



Square drive	1/2	Impact power	650Nm
Free speed	7800 rpm	Air inlet	1/4
Bolt size capacity	267 L/min	Air hose	3/8
Air consumption	24 mm	NET/Gross weight	3.58kg

SET ALATA ZA
GLETOVANJE
KPTK-10+1



1x Canvas tool bag	1x Bricklaying trowel
1x Wooden float	1x Spirit level
1x Plastic float / trowel	1x Inside corner roller
1x Stainless steel finishing trowel	1x Wire scraper / grout cleaning tool
2x Putty knives with replaceable handle	NET/Gross weight 2.5/3.2kg
1x Multi-purpose painter's scraper	

SET INOX
GLETERICA 15u1
KDSBC-0305-20-40-60-80-100GT



Powerful	Transport case
Stainless steel trowels, 10-100 cm	Pcs/Ctn 1pcs
Extension handles	NET/Gross weight 7.2/8.2kg
Roller for applying compound	Carton 115 x 32 x 12 cm
Adapters and additional accessories	

ELEKTRIČNI UDARNI
ODVIJAČ
KIW900-1/2



Rated Voltage	220-230V	Square Drive	1/2"(13mm)
Frequency	50/60Hz	Pcs/Ctn	5pcs
Input power	900W	Net/Gross weight	25/24kg
No load speed	2300r/min	Carton	58x37x29cm
Max Torque	300nm		

PNEUMATSKI UDARNI
ODVIJAČ
KAIW-588D



Square drive	8"		
Torque	2800nm	Pcs/Ctn	1pcs
Free speed	4200rpm	Net/Gross weight	32/33kg
Capacity bolt size	53mm	Carton	66.5x23x16cm

KARBONSKE
ČETKICE

A 18/1
Za Bušilice

cena bez pdv-a
1.082 RSD

B 18/1
Za Brusilice

cena bez pdv-a
1.082 RSD



	A 18/1		B 18/1
Set A	For compact tools	Set B	For heavy-duty tools
Pcs/Ctn	200pcs	Pcs/Ctn	200pcs
Net/Gross weight	28/29.5kg	Net/Gross weight	28/29.5kg
Carton	72.5x45x53cm	Carton	72.5x45x53cm

MAŠINA ZA
BRUŠENJE
BETONA
KFGM-400



Rated Voltage	220-230V		
Frequency	50/60Hz	Disc diameter	400mm
Input power	750W	Pcs/Ctn	1pcs
No load speed	2800r/min	Net/Gross weight	120/135kg
Productivity	2500-3000m/h	Carton	92x54x112cm

PIŠTOLJ ZA EKSERE

KMN-7301



cena bez pdv-a
1.495 RSD

Powerful	Breakdown steel plate 1.0cm thickness
Automatic slag discharge	Pcs/Ctn 20pcs
Stable firing	NET/Gross weight 19.5/20.5kg
Bass noise reduction	Carton 65x37x31.5cm

PIŠTOLJ ZA EKSERE

KN-3.2M



cena bez pdv-a
4.297 RSD

Powerful	Bass noise reduction
Automatic slag discharge	Pcs/Ctn 5pcs
Stable firing	NET/Gross weight 25/26kg
Bass noise reduction	Carton 62x47x27cm

INKUBATOR

STRONMAX-36



cena bez pdv-a
6.169 RSD

Capacity	up to 36 eggs	Egg turning	Automatic (every 2 hours)
Rated Voltage	220V / 12V (AC/DC)	Display	LED(temperature, time)
Power	80W	Alarm	Yes (temperature / humidity)
Temperature range:	30°C – 39.5°C	Material	ABS plastic + insulation
Temperature control:	Digital, automatic	Incubation type	Standard

INKUBATOR

STRONMAX-64



cena bez pdv-a
6.660 RSD

Capacity	up to 64 eggs	Egg turning	Automatic (every 2 hours)
Rated Voltage	220V / 12V (AC/DC)	Display	LED(temperature, time)
Power	80W	Alarm	Yes (temperature / humidity)
Temperature range:	30°C – 39.5°C	Material	ABS plastic + insulation
Temperature control:	Digital, automatic	Incubation type	Standard



MULTIFUNKCIONALNI SET NASTAVAKA

GFGJ



cena bez pdv-a
1.140 RSD

Set Contents (16 Pcs):
3x Saw Blades: 1x 65mm (wide) and 2x 35mm (narrow) for wood/plastic.
1x Rigid Scraper: For removing glue, silicone, and old paint.
1x Semi-Circular Blade: For long, straight cuts.
1x Carbide Blade (Gold): For cleaning grout and masonry.
10x Sandpaper Sheets: Various grits for surface finishing.

INKUBATOR

STRONMAX-128



cena bez pdv-a
8.518 RSD

Capacity	up to 128 eggs	Egg turning	Automatic (every 2 hours)
Rated Voltage	220V / 12V (AC/DC)	Display	LED(temperature, time)
Power	80W	Alarm	Yes (temperature / humidity)
Temperature range:	30°C – 39.5°C	Material	ABS plastic + insulation
Temperature control:	Digital, automatic	Incubation type	Standard

INKUBATOR

STRONMAX-192



cena bez pdv-a
10.280 RSD

Capacity	up to 192 eggs	Egg turning	Automatic (every 2 hours)
Rated Voltage	220V / 12V (AC/DC)	Display	LED(temperature, time)
Power	80W	Alarm	Yes (temperature / humidity)
Temperature range:	30°C – 39.5°C	Material	ABS plastic + insulation
Temperature control:	Digital, automatic	Incubation type	Standard

RUČNI PALETAR

3T



cena bez pdv-a
17.800 RSD

Load Capacity	3000 kg (3 Tons)	Steering Wheel Size	180 mm × 50 mm
Fork Length	1150 mm – 1200 mm	Fork Roller Size	70 mm × 70 mm
Overall Fork Width	550 mm	Pcs/Ctn	4pcs
Lowered Fork Height	85 mm	NET/Gross weight	280/282kg
Maximum Lifting Height	200 mm	Carton	183x55x54cm

INKUBATOR

STRONMAX-256



cena bez pdv-a
11.750 RSD

Capacity	up to 256 eggs	Egg turning	Automatic (every 2 hours)
Rated Voltage	220V / 12V (AC/DC)	Display	LED(temperature, time)
Power	80W	Alarm	Yes (temperature / humidity)
Temperature range:	30°C – 39.5°C	Material	ABS plastic + insulation
Temperature control:	Digital, automatic	Incubation type	Standard

